2012/2013

BOMANN®

HOME APPLIANCES

Breakfast
Cutting | Mixing
Cooking | Baking
Textile Care | Floor Care
Hair Care | Body Care
Heating | Ventilation

MAX
1.7L
1.0L
0.5L
MIN
BOMANN®

SERIES **PAGE**

Lifestyle ... 4
Rosso ... 5
Estate ... 6/7
Easy Morning ... 9
Vanilla ... 10
Breakfast-Sets ... 8/11

CONTENTS **PAGE**

BREAKFAST

Coffee Machines ... 4–17
Toaster ... 4–11, 23–27
Kettle ... 4–11, 17–23

CUTTING
MIXING

Food Slicer ... 32–33
Kitchen Machines ... 12, 33, 39–43
Kneading and Stirring Machines / Blender ... 30–31, 34–45

COOKING
BAKING

Bread Making Machines ... 52
Special Food Units ... 45–47, 49, 51, 55
Deep Fryers ... 49–50
Grills ... 54–55, 56–57
Cooking and Baking Units ... 27–30, 31, 53–54, 63
Microwaves ... 59–61
Mini-Oven / Mini kitchen ... 57–58

TEXTILE CARE

Steam Irons ... 65–66
Steam Ironing Unit ... 67
Mini Cleaner ... 64
Mini-Washing Machine ... 64

FLOOR CARE

Vacuum Cleaner, Battery Vacuum Cleaner ... 68–72
Vacuum Cleaner-Accessoires ... 87
Steam Cleaner ... 73

HAIR AND
BODY CARE

Hair Care ... 74–80
Body Care ... 74, 80
Bathroom Scales ... 81–82

HEATING
VENTILATION

Fans ... 82–83
Fan Heater ... 83
Radiators ... 84

Life Style
BOMANN
BOMANN
BOMANN

Coffee Maker

KA 1561 CB

- **For 12-15 cups of coffee (approx. 1,5 litre)**
- **Coffee machine in an attractive, unusual design**
- Stainless steel housing
- Satin-finish glass pot
- Base illuminated in blue
- Water tank illuminated in blue
- Anti-drip protection
- Heating plate
- Removable filter holder
- On/off switch

- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 225x325x230 mm

Art. no.	EAN
615 611	4 004 470 156 119

PU 4
PAL 64
CE

Toaster

TA 1563 CB

- **Compact 2-slice toaster in an attractive, unusual design**
- **Stainless steel housing**
- Base illuminated in blue
- Continuously adjustable thermostat
- Defrost/Reheat/Quick-stop function
- Lift function
- Function buttons, illuminated in blue
- Browning level control, illuminated in blue
- Automatic/manual switch off
- Removable roll-top
- Crumb drawer, removable
- Cable take-up on the base
- Non-slip stand

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 300x170x173 mm

Art. no.	EAN
615 631	4 004 470 156 317

PU 4
PAL 80
CE

Kettle

WKS 1562 CB

- **Max. capacity 1,5 litre**
- **Kettle in an attractive, unusual design**
- Concealed stainless steel heating element
- Stainless steel housing
- Base illuminated in blue
- Illuminated water tank
- Simple handling due to cable-free design – easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Removable and washable lime filter
- Automatic/manual switch off
- Evaporation/overheating protection
- On/off switch

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 235x260x150 mm

Art. no.	EAN
615 621	4004470156218

PU 4
PAL 120
CE


BOMANN®
ROSSO
Cableless, 360° rotating plug
Lockable safety hinged lid
Integrated roll-top
Continuously adjustable thermostat
Removable filter holder
Water level indicator

Toaster
TA 1962 CB

- **Stainless steel front and back**
- **2-slice toaster**
- Continuously adjustable thermostat
- Reheat function
- Defrost function
- Quick-stop function
- Lift function
- Automatic/manual switch off
- 3 LED
- Integrated roll-top
- Crumb drawer, removable
- Cable take-up
- Non-slip stand

- 230 V, 50 Hz, 826 W
- WxHxD approx. 290x210x190 mm

Art. no. 619 620 **EAN** 4 004 470 196 207

PU 2
PAL 60 CE

Kettle
WKS 1963 CB

- **Max. capacity 1,5 litre**
- Stainless steel water tank with concealed stainless steel heating element
- Simple handling due to cable-free design – easy in pour in and out
- 360° rotating plug connection
- Lockable safety hinged lid
- Removable lime filter
- Automatic/manual switch off
- Evaporation/overheating protection
- 2 external water level indicators
- Easy to use, open handle
- Base station with cord storage
- On/off switch with indicator lamp

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 230x260x170 mm

Art. no. 619 630 **EAN** 4 004 470 196 306

PU 4
PAL 128 CE

Coffee Maker
KA 1961 CB

- **For 8-10 cups of coffee (approx. 1,0 litre)**
- Stainless steel thermo-jug, double walled
- Housing with stainless steel insert
- Anti-drip protection
- Removable filter holder
- Water level indicator
- On/off switch with indicator lamp

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 210x365x295 mm

Art. no. 619 610 **EAN** 4 004 470 196 108

PU 4
PAL 32 CE


BOMANN ESTATE

WA 525 CB


BOMANN ESTATE

WA 522 CB



ST/WA 516 CB



ST 1345 CB


BOMANN ESTATE

TA 1358 CB


BOMANN ESTATE
20:19

KA 1355 CB

UM 1354 CB

AE 1917 CB

ESTATE

WKS 1356 CB

WKS 1361 CB

KA 1360 CB

KA 1341 CB





Toaster

TA 1533 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- Reheat function
- Defrost function
- Quick-stop function
- Lift function
- Automatic/manual switch off
- Integrated roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 250x175x165 mm

	Art. no.	EAN
□	615 330	4 004 470 153 309
■	615 331	4 004 470 153 316

PU 6
PAL 96

Coffee Maker

KA 1531 CB

- **For 8-10 cups of coffee (approx. 1,0 litre)**
- Anti-drip protection
- Swivel filter
- Heating plate
- Water level indicator
- On/off switch with indicator lamp

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 185x295x215 mm

	Art. no.	EAN
□	615 310	4 004 470 153 101
■	615 311	4 004 470 153 118

PU 6
PAL 72

Kettle

WK 1532 CB

- **Max. capacity 1,7 litre**
- Simple handling due to cable-free design – easy to pour in and out
- Stainless steel heating element
- Lockable safety hinged lid
- Automatic/manual switch off
- Water level indicator
- Evaporation/overheating protection
- Removable lime filter
- Heat-resistant plastic container
- On/off switch with indicator lamp
- Base station with cord storage

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 225x225x140 mm

	Art. no.	EAN
□	615 320	4 004 470 153 200
■	615 321	4 004 470 153 217

PU 6
PAL 144



Kettle
WK 560 CB

- **Max. capacity 1,7 litre**
- Cable-free design – easy to pour in and out
- Stainless steel heating element
- Lockable safety hinged lid
- Automatic/manual switch off
- Water level indicator
- Evaporation/ overheating protection
- Removable lime filter
- On/off switch illuminated
- Base station with cord storage

- 230 V, 50 Hz, 2200 W
- WxHxD approx. 200x245x130 mm

Art. no.	EAN
605 608	4 004 470 056 082

PU 6
PAL 168

Egg Boiler
EK 515 N CB

- **Preparation of up to 7 eggs**
- Heating dish, non-stick coated
- Indicator lamp
- On/off switch
- Acoustic signal (buzzer)
- Measuring beaker with egg-pricker
- Removable egg holder

- 230 V, 50 Hz, 350 W
- WxHxD approx. 170x160x165 mm

Art. no.	EAN
605 158	4 004 470 051 582

PU 6
PAL 240

Toaster
TA 240 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- 2 LED
- Reheat function
- Defrost function
- Quick-stop function
- Automatic/manual switch off
- Integrated roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 700 W
- WxHxD approx. 285x240x165 mm

Art. no.	EAN
602 408	4 004 470 024 081

PU 6
PAL 108

Coffee Maker
KA 167 CB

- **For 8-10 cups of coffee (approx. 1,25 litre)**
- Anti-drip protection
- Heating plate
- Swivel filter
- Water level indicator
- Transparent water container
- On/off switch with indicator lamp
- Evaporation protection

- 230 V, 50 Hz, 870 W
- WxHxD approx. 165x280x210 mm

Art. no.	EAN
601 678	4 004 470 048 674

PU 6
PAL 108

3 in 1
Coffee Maker
Toaster
Kettle
BOMANN
BOMANN
BOMANN

Coffee Maker
KA 1501 CB

- **For 8-10 cups of coffee**
- Anti-drip protection
- On/off switch with indicator lamp
- Swivel filter
- Water level indicator
- Heating plate

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 210x300x220 mm

Kettle
WK 1502 CB

- **Max. capacity 1,7 litre**
- Cordless, for easy using
- Removable nylon filter
- Automatic/manual switch off
- 2 external water level indicators
- Evaporation/overheating protection
- On/off switch with indicator lamp

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 250x265x135 mm

Toaster
TA 1503 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- Reheat function
- Defrost function
- Quick-stop function
- Lift function
- Crumb drawer, removable
- Integrated roll-top
- Cable take-up

- 230 V, 50 Hz, 800 W
- WxHxD approx. 275x180x180 mm

FS 1500 CB
Breakfast-Set black

Art. no.	EAN
615 001	4 004 470 150 018

PU 4
PAL 32

CE

- **Sales Packaging**
  WxHxD approx. 515x312x240 mm

CE

CE

Coffee Grinder

KSW 445 CB

- **Electric coffee mill with beater**
- **Capacity 40 g – for 20 cups of coffee**
- Stainless steel housing
- Stainless steel beater blade
- Stainless steel bean container, hygienic and with aroma protection
- Transparent lid
- Powerful 120 watt motor
- Safety circuit – operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cable take-up

- 230 V, 50 Hz, 120 W
- WxHxD approx. 100x200x100 mm

Art. no. 604 451 **EAN** 4 004 470 044 515

PU 6
PAL 480

Coffee Grinder

KSW 446 CB

- **Electric coffee mill with beater**
- **Capacity 40 g – for 20 cups of coffee**
- Stainless steel beater blade
- Stainless steel bean container, hygienic and with aroma protection
- Transparent lid
- Powerful 120 watt motor
- Safety circuit – operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cable take-up

- 230 V, 50 Hz, 120 W
- WxHxD approx. 100x200x100 mm

Art. no. 604 460 **EAN** 4 004 470 044 607

PU 6
PAL 480

COFFEE TO GO

1-Cup Coffee Machine

KA 180 CB

- **„Coffee to go" – simple, quick, and fresh, with the familiar taste of an aromatic filter coffee**
- Ideal for camping, in the office, at home or on the way
- Permanent nylon filter, detachable
- Incl. thermo stainless steel cup with drink opening and heat insulated aroma seal lid
- 300 ml capacity
- Cup fits virtually all standard cup holders
- Rubberised „Soft Touch" handle
- Indicator lamp
- On/off switch

- 230 V, 50 Hz, 420 W
- WxHxD approx. 165x160x245 mm

Art. no. 601 801 **EAN** 4 004 470 018 011

PU 6

Coffee Maker
KA 1501 CB

- **For 8-10 cups of coffee (approx. 1,0 litre)**
- Anti-drip protection
- Heating plate
- Swivel filter
- Water level indicator
- On/off switch with indicator lamp

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 210x300x220 mm

	Art. no.	EAN
⬜	615 012	4 004 470 150 124

PU 6 CE

Coffee Maker
KA 167 CB

- **For 8-10 cups of coffee (approx. 1,25 litre)**
- Anti-drip protection
- Heating plate
- Swivel filter
- Water level indicator
- Transparent water container
- On/off switch with indicator lamp
- Evaporation protection

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 165x280x210 mm

	Art. no.	EAN
⬜	601 670	4 004 470 016 703
🟦	601 673	4 004 470 016 734

PU 6
PAL 108 CE

Coffee Maker
KA 167 CB

- **For 8-10 cups of coffee (approx. 1,25 litre)**
- Anti-drip protection
- Heating plate
- Swivel filter
- Water level indicator
- Transparent water container
- On/off switch with indicator lamp
- Evaporation protection

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 165x280x210 mm

	Art. no.	EAN
⬜	601 678	4 004 470 048 674

PU 6
PAL 108 CE



Coffee Maker
KA 165 CB

- **For 10-12 cups of coffee (approx. 1,5 litre)**
- Anti-drip protection
- Heating plate
- Swivel filter
- Water level indicator
- Transparent water container
- On/off switch with indicator lamp
- Evaporation protection

- 230 V, 50 Hz, 800 W
- WxHxD approx. 160x300x265 mm

	Art. no.	EAN
⬜	601 650	4 004 470 016 505

PU 6
PAL 72 CE

Coffee Maker
KA 1531 CB

- **For 8-10 cups of coffee (approx. 1,0 litre)**
- Anti-drip protection
- Heating plate
- Swivel filter
- Water level indicator
- On/off switch with indicator lamp

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 185x295x215 mm

	Art. no.	EAN
⬜	615 310	4 004 470 153 101
⬛	615 311	4 004 470 153 118

PU 6
PAL 72 CE

Coffee Maker
KA 1541 CB

- **For 8-10 cups of coffee (approx. 1,0 litre)**
- Anti-drip protection
- Heating plate
- Swivel filter
- Water level indicator
- On/off switch with indicator lamp

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 185x295x215 mm

	Art. no.	EAN
🟨	615 418	4 004 470 154 184

PU 6
PAL 108 CE

Coffee Maker
KA 178 CB

- **For 10-12 cups of coffee (approx. 1,25 litre)**
- Anti-drip protection
- Heating plate
- Removable filter holder
- Water level indicator
- On/off switch with indicator lamp

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 185x310x200 mm

	Art. no.	EAN
⬜	**601 780**	**4 004 470 017 809**
🟦	**601 783**	**4 004 470 017 830**
⬛	**601 781**	**4 004 470 017 816**

PU 6
PAL 54 CE

Coffee Maker
KA 183 CB

- **12-14 cups of coffee (approx. 1.5 l)**
- Drip stopp
- Removable filter holder
- Hotplate
- Iluminated on/off switch
- Water level indicator
- Cord storage

- 230 V, 50 Hz, 900 W
- WxHxD approx. 190x330x205 mm

	Art. no.	EAN
⬜	**601 830**	**4 004 470 018 301**
🟦	**601 833**	**4 004 470 018 332**

PU 6 CE

Coffee Maker
KA 1341 CB

- **For 12-14 cups of coffee (approx. 1,6 litre)**
- **Housing with stainless steel insert**
- Swivel filter with automatic release button
- Anti-drip protection
- Heating plate
- Water level indicator
- On/off switch with indicator lamp
- Cord storage

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 230x405x210 mm

	Art. no.	EAN
⬛	**613 411**	**4 004 470 134 117**

PU 6
PAL 48 CE

Coffee Maker
KA 1355 CB

- **For 15 cups of coffee (approx. 1,8 litre)**
- **Stainless steel front**
- **Programmable 24-hour LCD digital timer, illuminated in blue**
- Hotplate with automatic switch off
- Anti-drip protection
- Removable filter holder
- 4 operating buttons
- 2 indicator lamps
- Water level indicator
- Transparent water container

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 225x370x270 mm

Art. no.	EAN
613 551	4 004 470 135 510

PU 4
PAL 48
CE

Coffee Maker
KA 1561 CB

- **For 12-15 cups of coffee (approx. 1,5 litre)**
- **Coffee machine in an attractive, unusual design**
- Stainless steel housing
- Satin-finish glass pot
- Base illuminated in blue
- Water tank illuminated in blue
- Anti-drip protection
- Heating plate
- Removable filter holder
- On/off switch

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 225x325x230 mm

Art. no.	EAN
615 611	4 004 470 156 119

PU 4
PAL 64
CE

Thermo-Coffee Maker
KA 168 CB

- **For 8 cups of coffee (approx. 1,0 litre)**
- **Thermo jug, double-walled**
- Anti-drip protection
- Removable filter holder
- Water level indicator
- On/off switch with indicator lamp

- 220-240 V, 50 Hz, 870 W max.
- WxHxD approx. 185x340x210 mm

Art. no.	EAN
601 680	4 004 470 016 802
601 683	4 004 470 016 871

PU 6
PAL 72
CE

Thermo-Coffee Maker
KA 1360 CB

- **For 8-10 cups of coffee (approx. 1,0 litre)**
- Stainless steel thermo jug
- Double-walled thermo jug with aroma seal – drinks remain hot for longer
- Anti-drip protection
- Removable filter holder
- Water level indicator
- Cord storage
- On/off switch with indicator lamp

- 220–240 V, 50 Hz, 1000 W
- WxHxD approx. 190x340x200 mm

	Art. no.	EAN
⬜	613 601	4 004 470 136 012

PU 4
PAL 64 CE

Thermo-Coffee Maker
KA 1961 CB

- **For 8-10 cups of coffee (approx. 1,0 litre)**
- Stainless steel thermo jug, double walled
- Housing with stainless steel insert
- Anti-drip protection
- Removable filter holder
- Water level indicator
- On/off switch with indicator lamp

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 210x365x295 mm

	Art. no.	EAN
🟥	619 610	4 004 470 196 108

PU 4
PAL 32 CE

Kettle
CB 577

- **Max. capacity 1,0 litre**
- Indicator lamp
- Safety locking lid
- Evaporation protection
- Easy to use

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 110x195x175 mm

	Art. no.	EAN
⬜	605 770	4 004 470 057 706
🟦	605 773	4 004 470 057 737

PU 10
PAL 240 CE

Kettle
WK 5004 CB

- **Max. capacity 1,0 litre**
- Simple handling due to cable-free design – easy to pour in and out
- Stainless steel heating element
- Lockable safety hinged lid
- Automatic/manual switch off
- Water level indicator
- Evaporation/overheating protection
- Removable lime filter
- Heat-resistant plastic container
- On/off switch with indicator lamp
- Base station with cord storage

- 230 V, 50 Hz, 1080 W max.
- WxHxD approx. 185x225x115 mm

	Art. no.	EAN
⬜	650 040	4 004 470 500 400
🟦	650 043	4 004 470 500 431
⬛	650 041	4 004 470 500 417

PU 6
PAL 168

Kettle
CB 557

- **Max. capacity 1,2 litre**
- Simple handling due to cable-free design – easy to pour in and out
- Stainless steel heating element
- Safety hinged lid (single-handed operating)
- Automatic/manual switch off
- 2 external water level indicators
- Evaporation/overheating protection
- Removable nylon filter
- On/off switch illuminated
- Indicator lamp
- Rubber profile on the handle

- 230 V, 50 Hz, 850 W
- WxHxD approx. 150x205x210 mm

	Art. no.	EAN
⬜	605 570	4 004 470 055 702
🟦	605 573	4 004 470 055 733

PU 6
PAL 168

Kettle
WK 1502 CB

- **Max. capacity 1,7 litre**
- Cordless, for easy using
- Removable nylon filter
- Automatic/manual switch off
- 2 external water level indicators
- Evaporation/overheating protection
- On/off switch with indicator lamp

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 250x265x135 mm

	Art. no.	EAN
⬜	615 020	4 004 470 150 209

PU 6
PAL 96

Kettle
WK 560 CB

- **Max. capacity 1,7 litre**
- Simple handling due to cable-free design – easy to pour in and out
- Stainless steel heating element
- Lockable safety hinged lid
- Automatic/manual switch off
- Water level indicator
- Evaporation/overheating protection
- Removable lime filter
- Heat-resistant plastic container
- On/off switch illuminated
- Base station with cord storage

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 200x245x130 mm

	Art. no.	EAN
⬜	605 600	4004470 056 006
⬛	605 601	4004470 056 013
🟦	605 603	4004470 056 037

PU 6 CE

Kettle
WK 560 CB

- **Max. capacity 1,7 litre**
- Simple handling due to cable-free design – easy to pour in and out
- Stainless steel heating element
- Lockable safety hinged lid
- Automatic/manual switch off
- Water level indicator
- Evaporation/overheating protection
- Removable lime filter
- Heat-resistant plastic container
- On/off switch illuminated
- Base station with cord storage

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 200x245x130 mm

	Art. no.	EAN
⬜	605 608	4 004 470 056 082

PU 6
PAL 168 CE

Kettle
WK 5011 CB

- **Capacity 1.7 litre max.**
- Safety snap-on lid with single-handed operating
- Cordless – easy filling and pouring
- Stainless steel heating element
- Removable lime filter
- Automatic/Manual switch off
- 2 outer water level marks
- Evaporation/overheating protection
- On/Off switch, illuminated
- Rubber profile on the handle
- Base station with cord storage

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 220x255x140 mm

	Art. no.	EAN
⬜	650 110	4004470 501 100
🟦	650 111	4004470 501 117
⬛	650 113	4004470 501 131

PU 6 CE



Kettle
WK 1532 CB

- **Max. capacity 1,7 litre**
- Simple handling due to cable-free design – easy to pour in and out
- Stainless steel heating element
- Lockable safety hinged lid
- Automatic/manual switch off
- Water level indicator
- Evaporation/overheating protection
- Removable lime filter
- Heat-resistant plastic container
- On/off switch with indicator lamp
- Base station with cord storage

- 230 V, 50 Hz, 2200 W
- WxHxD approx. 225x225x140 mm

	Art. no.	EAN
⬜	615 320	4 004 470 153 200
⬛	615 321	4 004 470 153 217

PU 6
PAL 144

Kettle
WK 1542 CB

- **Max. capacity 1,7 litre**
- Simple handling due to cable-free design – easy to pour in and out
- Stainless steel heating element
- Lockable safety hinged lid
- Automatic/manual switch off
- Water level indicator
- Evaporation/overheating protection
- Removable lime filter
- Heat-resistant plastic container
- On/off switch with indicator lamp
- Base station with cord storage

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 225x225x140 mm

	Art. no.	EAN
⬜	615 428	4 004 470 154 283

PU 6
PAL 144

Kettle
WK 504 CB

- **Max. capacity 1,7 litre**
- **Concealed heating element**
- Cableless, 360° rotating plug connection – for easy pouring in and out
- Illuminated water level indicator
- Automatic/manual switch off
- Large viewing window for water level
- Lime filter
- Base station with cord storage
- On/off switch

- 230 V, 50 Hz, 2200 W
- WxHxD approx. 135x270x240 mm

Stiftung Warentest
test
GUT (2,4)
Im Test: 20 Wasserkocher mit verdeckter Heizung
Ausgabe 08/2016

Illuminated water tank

	Art. no.	EAN
⬜	605 040	4 004 470 050 400

PU 6
PAL 126

Kettle
WK 5012 CB

- **Capacity 1.8 litre max.**
- **Safety snap-on lid with single-handed operating**
- Cordless – easy filling and pouring
- Concealed stainless steel heating element
- 360° connector
- Removable lime filter
- Automatic/Manual switch off
- 2 outer water level marks
- Overheating protection
- On/Off switch, illuminated
- Base station with cord storage

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 225x255x150 mm

Art. no.	EAN
650 120	4 004 470 501 209
650 123	4 004 470 501 216

PU 6 CE

Kettle
WKS 5010 CB

- **Max. capacity 1,7 litre**
- **Stainless steel water container with integrated heating element**
- Cableless, 360° rotating plug connection – for easy pouring in and out
- Lockable safety hinged lid
- Automatic/manual switch off
- Integrated limescale filter
- Evaporation/overheating protection
- On/off switch with indicator lamp
- Practical cord storage
- Water level indicator
- On/off switch, illuminated in blue

- 230 V, 50 Hz, 2400 W max.
- WxHxD approx. 230x250x145 mm

Art. no.	EAN
650 100	4 004 470 501 001
650 103	4 004 470 501 032
650 101	4 004 470 501 018

PU 6
PAL 144 CE

Kettle
WKS 1361 CB

- **Max. capacity 1,0 litre**
- **Concealed stainless steel heating element**
- **Stainless steel housing**
- Cableless, 360° rotating plug connection – for easy pouring in and out
- Lockable safety hinged lid
- Stainless steel thermo housing
- Removable lime filter
- Automatic/manual switch off
- Evaporation/overheating protection
- Water level indicator
- Base station with cord storage
- On/off switch

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 220x195x150 mm

Art. no.	EAN
613 611	4 004 470 136 111

PU 6
PAL 168 CE

Kettle
WKS 1356 CB

- **Max. capacity 1,7 litre**
- **Concealed stainless steel heating element**
- **Stainless steel thermo housing**
- Cableless, 360° rotating plug connection – for easy pouring in and out
- Lockable safety hinged lid
- Removable lime filter
- Automatic/manual switch off
- Evaporation/overheating protection
- 2 external water level indicators
- Stainless steel base station with cord storage
- On/off switch
- Indicator lamp, illuminated in blue

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 220x250x145 mm

Art. no. 613 561 **EAN** 4 004 470 135 619

PU 6
PAL 126

Glas Kettle
WK 5005 G CB

- **Max. capacity 1,7 litre**
- **Concealed stainless steel heating element**
- **Glass/Stainless steel housing**
- Simple handling due to cable-free design – easy to pour in and out
- 360° connector
- Water tank made of heat-resistant safety glass
- Lockable safety hinged lid
- Removable and washable limestone filter
- Automatic/Manual switch off
- Evaporation/overheating protection
- Exterior water level indicator
- Base with cord storage, sheet in stainless steel
- On/off switch
- Control lamp, illuminated in blue

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 220x240x160 mm

Art. no. 650 051 **EAN** 4 004 470 500 516

PU 4
PAL 120

Glas Kettle
WK 5015 G CB

- **Capacity 1,7 litre max.**
- **Simple handling due to cable-free design – easy to pour in and out**
- Locked safety snap-on lid with single-handed operation
- Water container made of heat resistant safety glass
- 360° connector
- Glass/stainless steel housing
- Concealed stainless steel heating element
- Removable and washable limestone filter
- Automatic/manual switch off
- Evaporation/overheating protection
- External water level indicator
- Base station with cord storage, stainless steel sheathed
- On/off switch
- Control lamp, illuminated in blue

- 230 V, 50 Hz, 2200 W
- WxHxD approx. 220x245x160 mm

Art. no. 650 151 **EAN** 4 004 470 501 513

PU 4



Toaster
TA 240 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- 2 LED
- Reheat function
- Defrost function
- Quick-stop function
- Automatic/manual switch off
- Integrated roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 700 W max.
- WxHxD approx. 285x240x165 mm

Art. no.	**EAN**
602 400	4 004 470 024 005
602 403	4 004 470 024 036
602 401	4 004 470 024 012

PU 6
PAL 108 CE

Toaster
TA 240 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- 2 LED
- Reheat function
- Defrost function
- Quick-stop function
- Automatic/manual switch off
- Integrated roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 700 W max.
- WxHxD approx. 285x240x165 mm

Art. no.	**EAN**
602 408	4 004 470 024 081

PU 6
PAL 108 CE

Toaster
TA 241 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- 3 LED
- Reheat function
- Defrost function
- Quick-stop function
- Automatic/manual switch off
- Integrated roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 750 W max.
- WxHxD approx. 280x195x165 mm

Art. no.	**EAN**
602 410	4 004 470 024 104

PU 6
PAL 108 CE

Toaster
TA 1533 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- Reheat function
- Defrost function
- Quick-stop function
- Lift function
- Automatic/manual switch off
- Integrated roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 250x175x165 mm

	Art. no.	EAN
⬜	615 330	4 004 470 153 309
⬛	615 331	4 004 470 153 316

PU 6
PAL 96
CE

Toaster
TA 1543 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- Reheat function
- Defrost function
- Quick-stop function
- Lift function
- Automatic/manual switch off
- Integrated roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 250x175x165 mm

	Art. no.	EAN
🟨	615 438	4 004 470 154 382

PU 6
PAL 96
CE

Toaster
TA 243 CB

- **2-slice toaster**
- "Cool Touch" housing
- Continuously adjustable thermostat
- Reheat function
- Defrost function
- Quick-stop function
- Lift function
- Automatic/manual switch off
- Removable roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 800 W
- WxHxD approx. 260x175x155 mm

	Art. no.	EAN
⬜	602 430	4 004 470 024 302
🟦	602 433	4 004 470 024 333
⬛	602 431	4 004 470 024 319

PU 6
PAL 96
CE

Toaster
TA 235 CB

- **4-slice toaster, with extra-long slots**
- “Cool Touch” housing
- Continuously adjustable thermostat
- Centring function
- 3 LED
- Reheat function
- Defrost function
- Quick-stop function
- Removable roll-top
- Automatic/manual switch off
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 1400 W
- WxHxD approx. 400x230x170 mm

Art. no.	EAN
602 350	4 004 470 023 503

PU 6
PAL 48

Toaster
TA 1358 CB

- **Housing with stainless steel insert**
- **2-slice toaster**
- Continuously adjustable thermostat
- Reheat function, illuminated in blue
- Defrost function, illuminated in blue
- Quick-stop function, illuminated in blue
- Lift function
- Automatic/manual switch off
- Removable roll-top
- Crumb drawer, removable
- Cable take-up

- 230 V, 50 Hz, 850 W max.
- WxHxD approx. 290x190x180 mm

Art. no.	EAN
613 580	4 004 470 135 800

PU 4
PAL 64

Toaster
TA 1563 CB

- **Compact 2-slice toaster in an attractive, unusual design**
- **Stainless steel housing**
- Base illuminated in blue
- Continuously adjustable thermostat
- Reheat function, defrost function, quick-stop function
- Lift function
- Function buttons, illuminated in blue
- Browning level control, illuminated in blue
- Automatic/manual switch off
- Removable roll-top
- Crumb drawer, removable
- Cable take-up
- Non-slip stand

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 300x170x173 mm

Art. no.	EAN
615 631	4 004 470 156 317

PU 4
PAL 80

Duo Waffle Maker
WA 525 CB

- **Stainless steel housing**
- **2 large baking plates (approx. ø 13 cm each), non-stick coated**
- 2 indicator lamps
- Heat insulated handle
- Overheating protection
- Cable take-up

- 230 V, 50 Hz, 1400 W
- WxHxD approx. 340x80x200 mm

Art. no.	EAN
605 252	4 004 470 052 527

PU 6
PAL 120

Donut-Maker
DM 549 CB

- **Housing with stainless steel insert**
- **For baking up to 6 bagels/ donuts**
- Baking plates, non-stick coated
- Baking lights
- Heat insulated handle
- Overheating protection

- 230 V, 50 Hz, 800 W max.
- WxHxD approx. 230x75x220 mm

Art. no.	EAN
605 491	4 004 470 054 910

PU 6
PAL 144

Ice Cream Cone Maker
HA 5009 CB

- **18 cm plate diameter**
- **Baking surfaces non-stick coated**
- Baking lights for mains and heating
- Continuously adjustable thermostat
- Heat insulated handle

- 230 V, 50 Hz, 800 W
- WxHxD approx. 268x127x271 mm

Art. no.	EAN
650 091	4 004 470 500 912

PU 6
PAL 144

Crêpe Maker
CM 2221 CB

- **Paper-thin crêpes, quickly and easily prepared**
- **Hotplate: Ø 29 cm**
- **With non-stick coating**
- Infinitely adjustable thermostat
- Baking lights
- Heat insulated plastic base
- Cable take-up
- Includes batter distributor

- 230 V, 50 Hz, 900 W
- WxHxD approx. 325x80x370 mm

	Art. no.	EAN
■	622 211	4 004 470 222 111

PU 4
PAL 64
CE

Sandwich Maker
ST 5016 CB

- **With non-stick coating**
- **Overheating protection**
- Safety shut down
- Automatic temperature controller
- Heat insulated handle
- 2 pilot lights for power and heating
- Locking system

- 220-240 V, 50 Hz, 750 W
- WxHxD approx. 230x80x230 mm

	Art. no.	EAN
□	650 160	4 004 470 501 605
🟦	650 163	4 004 470 501 636

PU 6
CE

Sandwich Maker
ST 1345 CB

- **2-slice sandwich toaster with stainless steel insert**
- **3-cornered sandwich boards**
- With non-stick coating
- Overheating protection
- Safety thermal cut-off
- Automatic temperature controller
- 2 indicator lamps for power and heating
- Heat insulated handle
- Locking system

- 230 V, 50 Hz, 750 W
- WxHxD approx. 245x100x235 mm

	Art. no.	EAN
■	613 451	4 004 470 134 513

PU 6
PAL 144
CE

3in1

Sandwich Maker
ST/WA 516 CB

- **Multigrill with stainless steel insert**
- **Sandwich toaster, waffle maker and contact grill in one**
- Extremely versatile due to the three different interchangeable plates (sandwich/waffle/grill plates) e.g. for Belgian waffles and tasty sandwich variations, as well as for quick contact grilling on both sides
- Non-stick and changeable cooking plates
- 2 indicator lamps
- Overheating protection
- Heat insulated handle
- Locking system

- 230 V, 50 Hz, 750 W max.
- WxHxD approx. 240x105x235 mm

Art. no.	EAN
605 160	4 004 470 051 605

PU 4
PAL 80

Milk Frother
MS 344 CB

- **Creates foamy milk in seconds**
- Soft touch housing
- Stainless steel foaming whisk
- Easy to clean

- 2 x 1,5 V AA UM3 (not supplied)
- WxHxD approx. 47x225x32 mm

Art. no.	EAN
603 441	4 004 470 034 417

PU 20
PAL 2520

Glass milk frother
MS 375 CB

- **No preheating of the milk thanks to the integrated heating function**
- Creates foamy milk in seconds
- Glass container, 500 ml content
- Glass bottom, illuminated
- Simple handling due to the cableless design, 360° rotating plug connection
- Concealed heating element
- Automatic switch-off function
- Incl. lid with spray guard function
- Stainless steel housing
- Stainless steel beater, removable for easy cleaning
- Additional stirrer for hot drinks without foaming (e.g. cocoa)
- Container bottom non-stick coated
- Incl. spare stainless steel beater and cleaning brush

- 230 V, 50 Hz, 550 W
- WxHxD approx. 175x190x120 mm

Art. no.	EAN
603 751	4 004 470 037 517

PU 6

Glass milk frother
MS 364 CB

- **No preheating of the milk thanks to the integrated heating function**
- Creates foamy milk in seconds
- Glass container, 500 ml content
- Glass bottom, illuminated in blue
- Simple handling due to the cableless design, 360° rotating plug connection
- Concealed heating element
- Automatic switch-off function
- Incl. lid with spray guard function
- Stainless steel beater, removable for easy cleaning
- Additional stirrer for hot drinks without foaming (e.g. cocoa)
- Container bottom non-stick coated
- Incl. spare stainless steel beater and cleaning brush

- 230 V, 50 Hz, 550 W
- WxHxD approx. 175x190x120 mm

	Art. no.	EAN
🟦	603 640	4 004 470 036 404

PU 6
PAL 210 CE

Milk Frother
MS 368 CB

- **Milk frother including sealable milk container for frothing and storing in the refrigerator**
- Container dishwasher-safe
- Creates foamy milk in seconds
- Controlled runtime through automatic switch-off
- Stainless steel whisk
- Simple operation and cleaning
- Indicator light

- Battery-operated: 2 x 1,5 V AA R6 (not supplied)
- WxHxD approx. 85x225x90 mm

	Art. no.	EAN
⬜	603 680	4 004 470 036 800

PU 8
PAL 672 CE

Egg Boiler
EK 515 N CB

- **Preparation of up to 7 eggs**
- Heating dish, non-stick coated
- Indicator lamp
- On/off switch
- Acoustic signal (buzzer)
- Measuring beaker with egg-pricker
- Removable egg holder

- 230 V, 50 Hz, 350 W
- WxHxD approx. 170x160x165 mm

	Art. no.	EAN
⬜	605 150	4 004 470 051 506
🟦	605 153	4 004 470 051 537

PU 6
PAL 240 CE

Egg Boiler
EK 515 N CB

- **Preparation of up to 7 eggs**
- Heating dish, non-stick coated
- Indicator lamp
- On/off switch
- Acoustic signal (buzzer)
- Measuring beaker with egg-pricker
- Removable egg holder

- 230 V, 50 Hz, 350 W
- WxHxD approx. 170x160x165 mm

Art. no.	EAN
605 158	4 004 470 051 582

PU 6
PAL 240
CE

Food Slicer
AS 432 CB

- **Powerfull motor**
- **Special stainless steel blade (Ø 170 mm), rust-proof**
- 3-level switch
- Safety slide switch
- Infinitely adjustable thickness (0-15 mm)
- Thickness control gauge
- Food holder with finger guard
- Removable slide
- Folding housing WxHxD approx. 90x230x310 mm

- 230 V, 50 Hz, 150 W
- WxHxD approx. 280x230x310 mm

Art. no.	EAN
604 320	4 004 470 043 204

PU 6
PAL 96
CE

Metal Food Slicer
MA 431 CB

- **Pressure die-cast aluminium motor housing**
- **Large stainless steel blade, (Ø 190 mm), rust-proof**
- Universal serrated blade
- Infinitely adjustable thickness (0-15 mm)
- Metal guide rail
- Food holder with finger guard
- Inclined metal table, folds for easy cleaning
- Sliding plate made of metal
- Non-slip feet

- 230 V, 50 Hz, 150 W
- WxHxD approx. 335x255x210 mm

Art. no.	EAN
604 310	4 004 470 043 105

PU 2
PAL 36
CE



Hand Blender
SM 354 CB

- **Powerful 180 watt motor**
- On/off button, recessed
- Ergonomic design handle
- Mixing beaker with scale (0,5 litre)
- Hanging loop
- Wall mounting with fixing materials

- 230 V, 50 Hz, 180 W
- WxHxD approx. 80x330x80 mm

Art. no. 603 540 **EAN** 4 004 470 035 407

PU 12
PAL 360

Hand Blender
SM 357 CB

- **Powerful 300 watt motor**
- **Push button for 2 speed-levels**
- Soft touch housing
- Stainless steel cutting blade
- Removable hand blender
- Ergonomic design handle
- Incl. high-quality mixing beaker with scale (0,5 litre)

- 230 V, 50 Hz, 300 W
- WxHxD approx. 65x370x65 mm

Stiftung Warentest
test
1
GUT
Im Test
22 Stabmixer
Ermittelt am Produkt
SM 3282 von
Clatronic (baugleich)

Ausgabe
08/2011

Art. no. 603 571 **EAN** 4 004 470 035 711

PU 6
PAL 270

Hand Blender
SM 1916 CB

- **Powerful, low-vibration 400 watt motor**
- **Push button for 2 speed-levels**
- Particularly handy through its ergonomically designed handle
- Stainless steel housing
- Stainless steel cutting blade
- Stainless steel hand blender – removable for easy cleaning
- Mixing beaker with lid and scale (0,7 litre)
- Hanging loop

- 230 V, 50 Hz, 400 W
- WxHxD approx. 60x375x85 mm

Art. no. 619 160 **EAN** 4 004 470 191 608

PU 6
PAL 240

3in1

Hand Blender Set
SMS 349 CB

- **Powerful 200 watt motor**
- **3 in 1 hand blender set - stainless steel hand blender, multiple chopper and whisk in one**
- 2 speed-levels
- Removable metal whisk
- Stainless steel hand blender and multiple chopper (0,5 litre)
- Ergonomically shaped rubberised handle for easier handling
- Holder for metal whisk and stainless steel hand blender
- Hanging loop
- Includes mixing vessel with scale (0.7 litres)

- 230 V, 50 Hz, 200 W max.
- WxHxD approx. 160x370x150 mm

Art. no.	EAN
603 491	4 004 470 034 912

PU 6
PAL 144

4in1

Hand Blender Set
SMS 374 CB

- **Powerful 750 watt motor**
- **4 in 1 hand blender set (hand blender, whisk, food processor, ice-crusher)**
- 7 functional options
- Stainless steel housing
- Including ice-crush function
- Variable speed regulation, illuminated in blue
- Including turbo setting for heavy applications
- Soft-touch press-button
- Ergonomically shaped, rubberized handle for easier handling
- Stainless steel mixing rod and metal whisk, detachable
- Work container with scale and refill opening (1.25 litre capacity)
- High-grade, interchangeable attachments from stainless steel for chopping and grating
- Attachments: grating, cutting and potato-grating insert, chopper, transparent mixing container with scale (0.6 litre)
- Quick and easy assembly of the accessories

- 230 V, 50 Hz, 200 W max.
- WxHxD approx. 70x390x70 mm

Art. no.	EAN
603 741	4 004 470 037 418

PU 4

2in1

Multi Purpose Mixer
MZ 460 CB

- **Mixing glass container with scale(1,0 litre)**
- **Ice crush function**
- Mixing glass suitable for microwave oven
- Removable chopping blade (stainless steel, rustproof)
- 2-level pulse switching
- Safe stand
- Easy to clean

- 230 V, 50 Hz, 200 W
- WxHxD approx. 168x168x220 mm

Art. no.	EAN
604 601	4 004 470 046 014

PU 6
PAL 96

2in1

Multi Purpose Mixer
MZ 463 CB

- **Mixing glass container with scale(1,0 litre)**
- **Ice crush function**
- Mixing glass suitable for microwave oven
- Stainless steel insert
- Removable chopping blade (stainless steel, rustproof)
- 2-level pulse switching
- Safe stand
- Easy to clean

- 230 V, 50 Hz, 300 W
- WxHxD approx. 215x170x170 mm

⬜ **Art. no.** 604 630 **EAN** 4 004 470 046 304

PU 6
PAL 120 CE

2in1

Multi Purpose Mixer
MZ 464 CB

- **Mixing glass container with scale(1,5 litre)**
- **Ice crush function**
- Mixing glass suitable for microwave oven
- Stainless steel insert
- 2 removable chopping blades (stainless steel, rustproof)
- 2-level pulse switching
- Safe stand
- Easy to clean

- 230 V, 50 Hz, 300 W
- WxHxD approx. 175x280x175 mm

⬛ **Art. no.** 604 641 **EAN** 4 004 470 046 410

PU 6
PAL 120 CE

Hand Mixer
HM 350 CB

- **Powerful 250 watt motor**
- **5 speed-levels**
- Eject button
- Dough hooks and beaters, chromium-plated
- All accessories are dishwasher-resistant

- 230 V, 50 Hz, 250 W
- WxHxD approx. 180x280x90 mm

⬜ **Art. no.** 603 500 **EAN** 4 004 470 035 001

PU 6
PAL 300 CE

2in1

Hand Mixer
CB 334

- **Powerful 200 watt motor**
- **5 speed-levels**
- Turbo switch
- Eject button
- Kneading hooks and beaters, chromium-plated
- All accessories are dishwasher-resistant

- 230 V, 50 Hz, 200 W
- WxHxD approx. 200x260x80 mm

Art. no. 603 340 **EAN** 4 004 470 033 403

PU 12
PAL 360

Hand Mixer
HM 359 CB

- **Powerful 250 watt motor**
- **Incl. fast mixing blender**
- **5 speed-levels**
- Turbo switch
- Eject button
- Kneading hooks and beaters, stainless steel
- All accessories are dishwasher-resistant

- 230 V, 50 Hz, 250 W
- WxHxD approx. 210x290x90 mm

Incl. quick blender

Art. no. 603 590 **EAN** 4 004 470 035 902

PU 6
PAL 180

2in1

Hand Mixer Set
HM 377 CB

- **Hand mixer in an attractive stainless stell design**
- **Powerful 300 W motor**
- **5 speeds**
- Turbo setting
- Eject button
- Soft Touch handle insert – for safe handling
- Accessory: 2 stainless steel beaters, 2 stainless steel dough hooks, stainless steel blender
- Incl. convenient storage tray
- Storage tray also suitable for wall mounting (incl. installation material)
- All accessories are dishwasher-resistant

- 230 V, 50 Hz, 300 W
- WxHxD approx. 300x350x200 mm

Art. no. 603 771 **EAN** 4 004 470 037 715

PU 4

2in1

Hand Mixer Set
CB 336

- **Powerful 250 watt motor**
- **Fast mixing blender with stainless steel blade**
- **Large mixing bowl (3 litre) with automatic drive**
- 5 speed-levels
- Turbo switch
- Eject button
- Kneading hooks and beaters, stainless steel
- All accessories are dishwasher-resistant

- 230 V, 50 Hz, 250 W
- WxHxD approx. 300x350x200 mm

Incl. quick blender

Art. no. 603 360 **EAN** 4 004 470 033 601

PU 2
PAL 72



Food Processor
KM 345 CB

- **Powerful kitchen machine with 550 watt motor**
- 5 speed-levels + pulse function (0/1/2/3/4)
- Safety switch
- Mixing vessel: 1,5 litre capacity, with scale
- Working container:
  0,8 litre capacity, with scale
- High-quaility, changeable untensils and work blades
- Accessories: cutting disc, chopping blade, kneading blade, grating disc, plastic spatula

- 230 V, 50 Hz, 550 W max.
- WxHxD approx. 400x430x190 mm

Art. no.	EAN
603 451	4 004 470 034 516

PU 2
PAL 32
CE



Food Processor
KM 363 CB

- **Powerful kitchen machine with 1000 watt motor**
- 5 speed-levels + pulse function (0/1/2/3/4)
- Safety switch
- Mixing vessel: 1,5 litre capacity, with scale and refilling aperture
- Working container: 2,5 litre capacity, with scale and refilling aperture
- High-quaility, changeable untensils and work blades
- Accessories: scraper disc (fine + coarse), slicing blade (fine + coarse), potato peeler blade, french fry blade, dicing blade, kneader, beater emulsifying disc, dough scraper, tool holder, motor cover
- Non-slip stand by suction feet
- Cable take-up

- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 425x425x255 mm

Art. no.	EAN
603 631	4 004 470 631 333

PU 2
PAL 16
CE



Kneading and Stirring Machine
KM 370 CB

- **Very quiet, high-performance kneading machine with extra-powerful 1200 Watt**
- **Constant power through load-dependent, electronic speed control**
- Special robust gear mechanism
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- 7 speed settings plus pulse (0-1-2-3-4-5-6)
- Safety circuit
- Unlocking mechanism for multifunction arm; 60° swivelling
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Quick-action chuck for holding the tools

- 220-240 V, 50 Hz, 1200 W max.
- WxHxD approx. 230x370x230 mm

Art. no.	EAN
603 700	4 004 470 037 005

PU 1
PAL 24



Kneading and Stirring Machine
KM 362 CB

- **Extra powerful motor: 1000 watt**
- **Electronic speed control**
- Special robust gear mechanism
- 5 litre stainless steel bowl for max. 2 kg mixture preparation
- stainless steel bowl
- Aluminium diecast stirring hook
- Aluminium diecast dough hook
- Whisk made of stainless steel
- Transparent spray protection lid
- 5 speed-levels (0-1-2-3-4)
- 5 LED, illuminated in blue
- Safety switch (can only be operated with the lid in position or with cover)
- Unlocking mechanism for multifunction arm; 60° swivelling
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Protective cover for drive axle

- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 390x350x280 mm

Art. no.	EAN
603 621	4 004 470 036 206

PU 1
PAL 16

Kneading/Stirring Machine incl. Meat Mincer
KM 369 CB

- **High-performance kneading machine with extra-powerful 1000 Watt**
- Special robust gear mechanism
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Transparent splash protection lid, detachable
- 6-level switch (1-2-3-4-5-6)
- 7 LED control lamps, illuminated in blue
- Safety circuit
- Electronic speed control
- Unlocking mechanism for multifunction arm
- 35° swivelling multifunction arm
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Protective cover for drive axle

Mincer
- Stainless steel blades, Metal refill tray, Metal tube, Metal cutter
- 3 steel mincing disks (5/3/2 mm)
- Biscuit Attachment
- Sausage filler accessory
- Kebbe Attachment - Oriental Cuisine

220-240 V, 50 Hz, 1000 W max.
- WxHxD approx. 400x350x234 mm

Art. no.	EAN
603 690	4 004 470 036 909

PU 1 CE

Kneading/Stirring Machine incl. Meat Mincer
KM 371 CB

- **High-performance kneading machine with extra-powerful 1000 watt**
- Special robust gear mechanism
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Transparent splash protection lid, detachable
- 5-level switch (0-1-2-3-4)
- 5 LED control lamps, illuminated in blue
- Safety circuit
- Electronic speed control
- Unlocking mechanism for multifunction arm
- 35° swivelling multifunction arm
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Protective cover for drive axle

Mincer
- Stainless steel blades, Metal refill tray, Metal tube, Metal cutter
- 3 steel mincing disks (5/3/2 mm)
- Biscuit Attachment
- Sausage filler accessory
- Kebbe Attachment - Oriental Cuisine

- 220-240 V, 50 Hz, 1000 W max.
- WxHxD approx. 390x350x280 mm

Art. no.	EAN
603 710	4 004 470 037 104

PU 1
PAL 16 CE



Kneading Machine and Food Processor incl. Meat Mincer and Pasta Maker

KM 367 CB

- **Extra powerful motor: max. 1000 watt**
- 6 speed-levels + pulse function
- 5 litre stainless steel bowl for max. 2 kg mixture preparation
- Mixing vessel with scale and refilling aperture, 1,5 litres capacity
- Special kneading hook (spray protection) for yeast and bread dough
- Metal stirring hook with spray protection
- Metal whisk with spray protection
- Sturdy special gears
- Swivelling multifunction arm
- Particularly easy to operate and clean
- Spray guard lid with refilling aperture
- Safety switch
- Unlocking mechanism for multifunction arm
- Non-slip stand by suction feet
- **Mincer**
- Stainless steel blade
- Metal refill tray
- Metal tube
- Metal cutter
- 3 steel mincing disks
- Biscuit attachment
- Sausage filler accessory
- **Pasta maker**
- Make pasta yourself with 5 different attachments, e.g. spaghetti, macaroni, tagliatelle
- Incl. box for storing the pasta attachments

- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 250x575x400 mm

Pastamaker

Mixing accessory

4IN1

Kneading and stirring

Mincer

Spaghetti attachment, narrow

Spaghetti attachment

Tagliatelle attachment

Lasagne sheets attachment

Penne-/Macaroni attachment

Art. no.	EAN
603 671	4 004 470 036 718

PU 1
PAL 16



Incl. recipe book

Cooking function

Cook & Mix
KM 379 CB

- **2000 W max. (1200 W motor / 800 W heating/cooking)**
- Including heating/cooking function, 800 W
- 13 electronic speeds, 3 cooking programs, 10 speeds
- Stepless temperature setting 60 °C to 140 °C
- LCD display with blue illumination
- Digital temperature indication
- 20-minute timer
- 5.5 L stainless steel bowl for max. 2 kg
- Dough preparation
- Glass mixing container with scale and filler opening 1.5 L capacity
- Including ice-crush function
- Special kneading hook (splash protection) for yeast and bread dough
- Metal stirring hook with splash protection
- Metal egg-whisk with splash protection
- Flexible stirring tool
- Robust special gears
- Swiveling multi-function arm
- User-friendly and easy to clean
- Splash guard lid with replenishing aperture
- Safety circuit
- Unlocking mechanism for multi-function arm
- Stands securely through suction feet
- Cable storage compartment

Mincer
- Metal neck, metal screw, 3 steel mincing disks, Stainless steel knife, sausage filler attachment, cookie attachment, metal filler tablet

- 230 V, 50 Hz, 2000 W max. (1200 W motor/ 800 W heating/cooking)
- WxHxD approx. 325x575x400 mm

Digital temperature indication

Mixing attachment

Mincer

Stirring function

Egg-whisk

Kneading function

Art. no.	EAN
603 790	4 004 470 037 906

PU 1
PAL 16

CE

Mincer
FW 443 CB

- **Stainless steel insert**
- Metal filling tray
- Metal tube
- Metal cutter
- 3 steel mincing disks
- Stainless steel blades
- Reverse function
- Cookie attachment
- Sausage filler accessory
- Kibbe attachment - Oriental cuisine
- On/off switch

- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 195x350x330 mm

Art. no.	EAN
604 431	4 004 470 044 317

PU 4
PAL 64

Cheese Grater
KR 444 CB

- **Study battery-powered cheese grater in an elegant and attractive design, not only for the kitchen**
- **2 different stainless steel graters (coarse/fine)**
- Grates hard cheese (Parmesan) or semi-hard cheese (e.g. Gouda) without difficulty within a short time, as well as chocolate, dried bread (breadcrumbs)
- Cordless operation for flexible use
- Graters, cheese collecting tray and lids removable for easy cleaning, dishwasher-safe
- Collecting tray can be used for storage
- Lid incl. sprinkle openings for practical portioning
- Battery mode

- 230 V, 50 Hz
- WxHxD approx. 75x240x75 mm

Art. no.	EAN
604 441	4 004 470 044 416

PU 6
PAL 432

Mixer
UM 360 CB

- **Extra powerful 500 watt motor**
- **Universal mixer for pureeing, beating, chopping, shaking, mixing**
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for the kitchen and bar
- 4 speed-levels (0-1-2-impulse)
- Removable mixing vessel with 1,5 litre capacity
- Lid with refilling aperature
- Stainless steel blades, rust proof
- Safety switch – operation only possible with vessel in place
- Cable take-up
- Non-slip stand by suction feet

- 230 V, 50 Hz, 500 W
- WxHxD approx. 220x400x150 mm

Art. no.	EAN
603 600	4 004 470 036 008

PU 4
PAL 32

Mixer
UM 378 CB

- **Universal mixer for pureeing, beating, chopping, shaking and mixing**
- **Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food**
- Ideal for kitchen and bar
- Ice crush function
- Powerful 500 watt motor
- Removable mixing bowl with 1.5 liter capacity
- Lid with refill opening
- Cover for refill used as a measuring cup (2 oz)
- Stainless steel blades, rustless
- 5-position selector switch (0-1-2-3-4 + pulse/turbo function)
- Safety circuit – operation only possible with vessel in place
- Excellent stability through rubberized feets

- 220–240 V, 50 Hz, 500 W max.
- WxHxD approx. 160x400x160 mm

Art. no.	**EAN**
603 780	**4 004 470 037 807**

PU 4 CE

Mixer
UM 1354 CB

- **Stainless steel housing**
- **Powerful 550 watt motor**
- **Incl. ice crusher function**
- For pureeing, beating, chopping, shaking, mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- 4 speed-levels (0-1-2-impulse)
- Removable mixing vessel made of solid glass 1,5 litre (with scale)
- 6-fold stainless steel blade, rust-proof
- Lid with refilling aperature (Ø approx. 50 mm)
- Lid for the refilling aperture can also be used as a measuring beaker (2 cl)
- Rotary switch, illuminated in blue
- Safety switch – operation only possible with vessel in place
- All accessories are dishwasher-resistant
- Blade block removable for cleaning
- Cable take-up
- Non-slip stand by suction feet

- 230 V, 50 Hz, 550 W max.
- WxHxD approx. 200x410x185 mm

Art. no.	**EAN**
613 541	**4 004 470 135 411**

PU 4
PAL 64 CE

Citrus Fruit Squeezer
ZP 1092 CB

- **2 press cones**
- **Removable container (1,2 litre) with aroma protective lid**
- Automatic start/stop function by pressing cone
- Automatic clockwise/anticlockwise operation for optimal juice extraction
- Practical cable take-up

- 230 V, 50 Hz, 40 W
- WxHxD approx. 180x230x180 mm

Art. no.	**EAN**
610 920	**4 004 470 109 207**

PU 6
PAL 120 CE

Automatic Juicer
CB 1082

- **Powerful 400 watt motor**
- Removable pulp container
- Removable juice container (approx. 500 ml capacity)
- Stainless steel centrifuge
- On/off switch
- Locking with safety switch
- Non-slip stand

- 230 V, 50 Hz, 400 W
- WxHxD approx. 250x320x160 mm

Art. no.	EAN
610 820	4 004 470 108 200

PU 4
PAL 64

Automatic Juicer
AE 1024 CB

- **Extra-large filling tube (75 mm Ø)**
- Whole apples, carrots and other fruits without chopping, in seconds juice extracting
- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30% more juice and vitamins
- Large-volume pulp container (approx. 1,0 litre capacity)
- Juice container (approx. 500 ml capacity)
- 2 speed-levels for different fruit hardness + pulse function
- Locking with safety switch
- Stainless steel micro-strainer for finest juices
- Can be completely taken apart for rapid and unproblematic cleaning
- Non-slip stand by suction feet

- 230 V, 50 Hz, 450 W
- WxHxD approx. 290x375x200 mm

Art. no.	EAN
610 240	4 004 470 102 406

PU 3
PAL 45

Automatic Juicer
AE 1917 CB

- **Extra-large filling tube (75 mm Ø)**
- **Professional automatic juicer with high-quality stainless steel housing**
- **Powerful 1000 watt motor max.**
- Fruit and vegetable juices prepared quickly and freshly
- Rich in essential minerals for well-being, fitness and health
- Whole apples, carrots and other fruits without chopping in seconds juice extra
- Fruit and vegetable juices – quickly and absolutely fresh. Rich in vital substances to support your wellbeing, fitness and health.
- 30% more juice and vitamins
- High-capacity pulp container (capacity approx. 2,0 litre)
- Open stainless steel juice spout
- 2 speed-levels (0-1-2)
- Locking with safety switch
- Stainless steel micro sieve for finest juices
- Completely dismountable, fast and easy cleaning
- High stability

- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 300x400x190 mm

Art. no.	EAN
619 171	4 004 470 191 714

PU 2

Yoghurt-Maker
JM 1025 CB

- **Easy preparation of up to 1,1 litres of yoghurt**
- On/off switch illuminated
- 7 practical portion jars with screw cap (capacity: 160 ml)
- Transparent lid
- Additional jars in a set of 6 optional available **EG JM 3344** **Art. no. 251 125**

- 230 V, 50 Hz, 14 W
- WxHxD approx. 240x150x265 mm

Art. no.	EAN
610 250	4 004 470 102 505

PU 6
PAL 96

Kitchen Scale
KW 1411 CB

- **Weights up to 2 kg**
- Easy to read LCD display
- Large stable glass support plate (approx. Ø 160 mm) for accurate weighing
- 1 g scaling
- Adjustable measuring units in kg and lb
- Tare function (additive weighed function)
- On/off switch

- 9 V Battery (not supplied)
- WxHxD approx. 180x55x220 mm

Art. no.	EAN
614 111	4 004 470 141 115

PU 6
PAL 288

Kitchen Scale
KW 1415 CB

- **Weights up to 5 kg**
- **Extra-flat digital kitchen scales**
- Weighing surface made of high-quality glass
- Clearly legible LCD display
- 1 g scaling
- Automatic switch-off
- Tare function (additive weighed function)
- On/off switch

- 3 x AAA R03 (batteries not supplied)
- WxHxD approx. 135x20x210 mm

Art. no.	EAN
614 151	4 004 470 141 511

PU 6
PAL 972

UNIT
BOMANN
ON/OFF
TARE

Stainless steel kitchen scale
KW 1416 CB

- **Weights up to 5 kg**
- **Extra-flat digital kitchen scales**
- Weighing surface made of stainless steel
- Clearly legible LCD display
- 1 g scaling
- Adjustable measuring units in kg, g and lb
- Automatic switch-off
- Tare function (additive weighed function)
- On/off switch

- 2 x AAA R03 (batteries not supplied)
- WxHxD approx. 150x20x180 mm

Art. no. 614 161 **EAN** 4 004 470 141 610

PU 6
PAL 1152 CE

Stainless steel kitchen scale
KW 1420 CB

- **Weights up to 5 kg**
- **Extra-flat digital kitchen scales**
- Weighing surface made of stainless steel
- 1 g scaling
- Adjustable measuring units in kg, g, lb, oz
- Clearly legible LCD display, illuminated in blue
- Tare function (additive weighed function)
- Hanging loop, illuminated in blue
- Automatic switch-off
- On/off switch

- 3 x AAA R03 (batteries supplied)
- WxHxD approx. 170x15x230 cm

Art. no. 614 201 **EAN** 4 004 470 142 013

PU 6
PAL 1008 CE

Stainless steel kitchen scale
KW 1421 CB

- **Weights up to 5 kg**
- **Extra-flat digital kitchen scale with permanent clock und temperature information**
- Weighing surface made of stainless steel
- Clearly legible, high-quality multifunction LCD display
- 1 g scaling
- Adjustable measuring units in kg, g, lb, oz
- Automatic switch-off for weighing function
- Tare function (additive weighed function)
- On/off switch

- 3 x AAA R03 (batteries supplied)
- WxHxD approx. 160x18x230 mm

Art. no. 614 211 **EAN** 4 004 470 142 112

PU 6
PAL 864 CE

Deep Fryer
FR 2223 CB

- **Capacity 2,0 l of oil/frying fat**
- Cool-touch housing
- oil container, with non-stick coating
- Large frying basket; can be raised or lowered with the lid closed
- Lift-up lid with viewing window, removable
- Changeable odour and fumes filter
- collecting vessel for condensation
- Adjustable thermostat with LED (130 ° – 190 °C)
- 2 pilot lights for power and heating
- 2 handle recess for safe transport
- On/off switch (0-1)

- 230 V, 50 Hz, 1800 W
- WxHxD approx. 245x260x320 mm

Art. no.	**EAN**
622 230	**4 004 470 222 302**

PU 2
PAL 40

Deep Fryer
FR 2224 CB

- **Capacity 2,5 l of oil/frying fat**
- Cool-touch housing
- Removable oil container, non-stick coated
- Large frying basket; can be raised or lowered with the lid closed
- Lift-up lid with viewing window, removable
- Changeable odour and fumes filter
- Adjustable thermostat with LED (130 ° – 190 °C)
- 2 pilot lights for power and heating
- 2 handle recess for safe transport
- Cable take up on the backside
- On/off switch (0-1)

- 230 V, 50 Hz, 1800 W
- WxHxD approx. 281x275x320 mm

Art. no.	**EAN**
622 240	**4 004 470 222 401**

PU 2
PAL 40

Deep Fryer
FR 2201 CB

- **Capacity 3,0 l of oil/frying fat**
- **Cool-zone technology – heating element directly in the fat for rapid heating and low-odour deep fat frying**
- Housing, lid, heating coil made of stainless steel
- Removable fat container, enamelled
- Adjustable Thermostat (130 ° – 190 °C)
- 2 control lamps
- Overheating protection

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 240x230x370 mm

Art. no.	**EAN**
622 011	**4 004 470 220 117**

PU 2
PAL 36

Steam Cooking
healthy &
vitamin-preserving

Steam Cooker
DG 1218 CB

- **Steam cooker for the healthy cooking of food without burning vitamins**
- **60-minute timer**
- 3 steam cooker containers (1 lid, 1 rise bowl)
- Drip bowl for the collection of juices
- Semi-transparent water tank, 1,6 l
- Water replenishable during operation
- Water level indicator
- Overheating protection
- Easy to clean
- Rise bowl 200x30x100 mm

- 230 V, 50 Hz, 750 W max.
- WxHxD approx. 300x420x210 mm

Art. no. 612 185 **EAN** 4 004 470 121 858

PU 4
PAL 72

CE

Food Dryer
DR 435 CB

- **Dries fruit, vegetables, herbs, meat etc.**
- Variable use through 5 stackable levels, Ø 28 cm
- Circulating air blower - circulating air function
- Protected against overheating
- On/off switch

- 230 V, 50 Hz, 250 W
- WxHxD approx. 285x160x315 mm

Art. no. 604 350 **EAN** 4 004 470 043 501

PU 4
PAL 72

CE

Rice Boiler
RK 2241 CB

- **Simple preparation and keeping warm of all types of rice without burning**
- **Also with steam basket for vitamin-retaining steam cooking**
- Cool Touch housing
- Folding lid with „Cool-Touch" handle and handle recess
- Removable, non-stick-coated part (approx 5 litres max.)
- For max. 1,3 kg of rice (uncooked weight)
- Automatic keep warm mode when cooking has finished
- Removable supply cable
- Control lamps
- Accessories: measuring beaker, rice spoon

- 220–240 V, 50 Hz, 700 W
- WxHxD approx. 285x285x292 mm

Art. no. 622 400 **EAN** 4 004 470 224 022

PU 2

CE

2in1

Rice Boiler
RK 2220 CB

- **Stainless steel rice boiler for easy preparation and keeping warm all types of rice, pulses, soups, cereals**
- **Additional aluminium steamer insert for vitamin-retaining steam cooking of e.g. vegetables, potatoes and fish**
- Energy-saving – 45% time savings in comparison to conventional hotplates
- Safety glass lid with steam outlet
- Removable, non-stick-coated part (approx. 2.5 kg boiled rice / 3 l water max.)
- For max. 1,5 kg of rice (uncooked weight)
- Automatic keep warm mode when cooking has finished
- Automatic switch-off, energy-saving
- On/off switch
- „Cool touch" handles
- Removable supply cable
- Safety function: can only be switched on when pot is in position
- 2 control lamps for cooking and keeping warm
- Accessories: measuring beaker, rice spoon

- 220–240 V, 50 Hz, 700 W
- WxHxD approx. 315x320x273 mm

PU 4
PAL 36

Jam/Marmelade Programme

Wholemeal Programme

Automatic Bread Baking Machine
BBA 5013 CB

- **2 litre capacity (approx. 900 g bread)**
- **Fully automatic dough and bread preparation (kneading, rising, baking)**
- **12 baking programs / 47 possible combinations**
- Programs: Basic, French, Sweet, Cake, Whole Wheat, Sandwich, Whisk (kneading), Jam, Yoghurt, Dough (pizza dough), Fast Bake, Bake
- Marmalade program
- Extra bake function
- Electronic control panel with backlight LCD display
- 10 hour timer
- Variably settable dough quantity
- Variable crust browning control (light, dark)
- Warming function
- Cool-touch housing
- Lid with viewing window, detachable
- 1 kneading peg
- Baking form non-stick coated, removable

- 230 V, 50 Hz, 480–580 W
- WxHxD approx. 275x315x280 mm

Art. no.	EAN
650 130	4 004 470 501 308

PU 2

Jam/Marmelade Programme

Wholemeal Programme

Automatic Bread Baking Machine
CB 594

- **3 litre capacity (approx. 1300 g bread)**
- **Fully automatic dough and bread preparation (kneading, rising, baking)**
- **9 baking programs/31 possible combinations**
- Programs:
  Normal, white bread, wholemeal, sweet bread, only basis dough, cake, sandwich, only baking, quick bake function
- Marmalade program
- LCD display and audible signal
- 13 hour Timer
- Variably settable dough quantity
- Variable crust browning control (light, medium, dark)
- Warming function
- „Cool Touch" housing
- Lid with window
- 2 kneading pegs
- Baking form non-stick coated, removable
- Accessories: Measuring beaker and spoon

- 230 V, 50 Hz, 800 W
- WxHxD approx. 400x290x260 mm

Art. no.	EAN
605 940	4 004 470 059 403

PU 2
PAL 24

2 in 1
Pizza-and Partypan

Party Pan
PP 1291 CB

- **ø 38 cm, depth: 4 cm**
- Party pan for boiling, roasting, steaming and keep warm function
- Quick heating and long keep warm function
- Anti-stick pan for easy cleaning
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1400 W
- WxHxD approx. 450x140x400 mm

Art. no.	EAN
612 910	4 004 470 129 106

PU 2
PAL 48

CE

Pizza/party pan
PP 2230 CB

- **Ø 36 cm, depth: 3.5 cm**
- Pizza/party pan for boiling, frying, steaming, defrosting, keeping warm and making pizzas
- Quick heating and long keep warm function
- Anti-stick pan for easy cleaning
- Heat-resistant glass/metal lid with handle
- Heat-insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 430x160x440 mm

Art. no.	EAN
622 301	4 004 470 223 019

PU 4
PAL 96

CE

Party Pan
PP 2233 CB

- **Ø 32 cm, depth: 3.5 cm**
- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Non-stick coated pan for easy cleaning
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 380x160x400 mm

Art. no.	EAN
622 331	4 004 470 223 316

PU 4
PAL 96

CE

Party Pan
PP 2231 CB

- **approx. 30 x 30 cm, depth: 5 cm**
- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Non-stick coated pan for easy cleaning
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 420x140x300 mm

Art. no.	EAN
622 311	4 004 470 223 118

PU 4
PAL 64

Party Pan
PP 2232 CB

- **approx. 37 x 30 cm, depth: 8 cm**
- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Non-stick coated pan for easy cleaning
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 500x160x320 mm

Art. no.	EAN
622 321	4 004 470 223 217

PU 2
PAL 40

Contact Grill
KG 1207 CB

- **Fat-free preparation**
- **Large grilling surface: 29,5x24,0 cm**
- Grilling plates with non-stick coating
- Short cooking times
- Easy to clean
- 2 control lamps

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 360x105x320 mm

Art. no.	EAN
612 071	4 004 470 120 714

PU 3
PAL 72



2in1

Multi Grill/Teppan-Yaki-Grill
TYG 1298 CB

- **Japanese-style grilling at the table, healthy and low in calories**
- **Large grilling surface: 43,0x22,0 cm**
- Non-stick coated plate retains and distributes the heat perfectly
- Fat-free, odourless and clean
- Ideal for roasting, cooking and braising fish, meat and vegetables
- Continuously adjustable thermostat
- Chrome-plated handles
- Drainage channel for excess fat
- Removable easy-to-clean drip tray
- Easy to clean

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 430x125x220 mm

Art. no.	**EAN**
612 981	**4 004 470 129 816**

PU 4
PAL 48
CE

Multigrill /Teppan Yaki-Grill
TYG 2238 CB

- **Japanese-style grilling at the table, healthy and low in calories**
- **Large grilling surface: 40,0x23,0 cm**
- Non-stick coated plate retains and distributes the heat perfectly
- Fat-free, odourless and clean
- Ideal for roasting, cooking and braising fish, meat and vegetables
- Continuously adjustable thermostat
- Heat insulated handles
- Drainage channel for excess fat
- Removable easy-to-clean drip tray
- Easy to clean
- Safe base

- 230 V, 50 Hz, 1800 W
- WxHxD approx. 795x125x220 mm

Art. no.	**EAN**
622 381	**4 004 470 223 811**

PU 4
PAL 48
CE

Hot Dog Maker
HDM 462 EK CB

- **2 in 1 – Hot dog maker and egg boiler in one**
- For 1 to 14 small sausages (e. g. "Frankfurter", "Vienna sausages ")
- Heated stainless steel skewer
- **Preparation of up to 6 eggs**
- Removable egg holder
- Transparent steam tank, removable
- Non-stick coated water bowl
- 4-level selector:
  0 = Off
  1 = Steamer
  2 = Skewer
  3 = Steamer + skewer
- Indicator lamp
- Incl. measuring cup with egg pricker

- 230 V, 50 Hz, 350 W
- WxHxD approx. 235x270x160 mm

Art. no.	**EAN**
604 620	**4 004 470 046 205**

PU 6
PAL 144
CE



Raclette Grill

CB 1279

- **For grilling and browning**
- **Removable grill plate 18x23 cm**
- **Removable hot stone 19x24/20 cm**
- Non-stick coating on the grill plates and pans
- Adjustable thermostat with LED
- Easy to clean
- Accessories: 8 pans, 8 wooden spatulas

- 230 V, 50 Hz, 1300 W
- WxHxD approx. 520x130x250 mm

Stiftung Warentest
test
GUT (2,4)
Im Test:
16 Raclettegeräte mit Grill
Qualitätsurteil: gut
Ermittelt am Produkt
RG 2892 von
Clatronic (baugleich)
Ausgabe
01/2006

Art. no. 612 791 **EAN** 4 004 470 127 911

PU 2
PAL 48

Barbecue Table Grill

BQ 1240 N CB

- **Stylish table grill for barbecues without fire and smoke**
- **Grill surface: 35,5x24,5 cm**
- On/Off switch with indicator lamp
- Removable grill and heating elements for easy cleaning
- Metal drip tray

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 480x100x360 mm

Art. no. 612 401 **EAN** 4 004 470 124 019

PU 4
PAL 64

Barbecue Table Grill

BQ 2239 CB

- **Stylish table grill for barbecues without fire and smoke**
- **Also suitable for outdoor applications**
- **Grill surface: 40 x 22,5 cm**
- Adjustable thermostat with indicator lamp
- Height-adjustable, chromed grill grid
- Removable grill and heating elements for easy cleaning
- Enameled steel tub
- Metal drip tray

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 530x110x310 mm

Art. no. 622 391 **EAN** 4 004 470 223 910

PU 4
PAL 32

Barbecue Standing Grill

BQS 2240 CB

- **Stylish stand grill for barbecues without fire and smoke**
- **Also suitable for outdoor applications**
- **Grill surface: 40 x 22,5 cm**
- Adjustable thermostat with indicator lamp
- Height adjustable, chromed grill grid
- Removable grill and heating element for easy cleaning
- Enameled steel tub
- Metal drip tray
- Wind protection
- Middle shelf
- Can be converted to a table grill

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 530x720x310 mm

Art. no.	EAN
622 401	4 004 470 224 016

PU 4
PAL 32

CE

Mini Oven

MB 2336 CB

- 8 litre cpacity
- Top and bottom heat
- 30 minute timer
- 2 quartz heating elements
- Pull-out grill grid
- Mirrored door
- Baking tray
- Drawer for crumbs
- Overheating-protection by thermostat

- 230 V, 50 Hz, 850 W
- WxHxD approx. 360x200x270 mm

Art. no.	EAN
623 361	4 004 470 233 612

PU 4

CE

Mini Oven

MB 2360 CB

- 8 litre cpacity
- Top and bottom heat
- 30 minute timer
- 2 quartz heating elements
- Pull-out grill grid
- Mirrored door
- Baking tray
- Drawer for crumbs
- Overheating-protection by thermostat

- 230 V, 50 Hz, 850 W
- WxHxD approx. 360x200x270 mm

Art. no.	EAN
623 600	4 004 470 236 002

PU 4

CE

Mini Table Oven with Grill
MBG 1248 CB

- **26 litre capacity**
- **Circulating air**
- **Switch for grilling**
- Top and bottom heat
- 60-minute timer with end signal
- 4-level-switch:
  Top heat
  Bottom heat
  Top/Bottom heat
  Off
- Variable temperatur control (50–250 °C)
- Self-cleaning coating
- Indicator light
- Large viewing window
- Revolving spit
- Includes grill grid (35,5x24 cm) and baking tray (35,5x24 cm)
- Includes tongs for removing the grill grid and baking tray

- 230 V, 50 Hz, 1600 W
- WxHxD approx. 510x360x330 mm

Art. no.	EAN
612 480	4 004 470 124 804

PU 1
PAL 16

Mini kitchen
KK 2234 CB

- **Stainless steel housing**
- **2 hotplates**
- **1 x Ø 18.5 cm, 1500 Watt**
- **1 x Ø 15.5 cm, 920 Watt**
- 2 different operating controls for the hotplates:
  Small – rotary switch levels 0–6
  Large – rotary switch levels OFF / 850 Watt / 1500 Watt
- **26 litre capacity**
- Combined operation (baking and cooking at the same time)
- Top and bottom heat (900/600 Watt)
- Possible baking/grilling alternatives:
  Top and bottom heat
  Only bottom heat
  Top heat
- Infinitely adjustable thermostat (100–230 °C)
- Oven door with viewing window
- Indicator lamp
- Including grill grating, baking sheet, and crumbs drawer, as well as hookable handle for pulling out the sheet/grating

- Power Supply: 230 V, 50 Hz
- Power input:
  600 W oven (bottom heat)
  900 W oven (top heat)
  920 W hotplate (small)
  1500 W hotplate (large)
  3320 W (total power consumption)
- WxHxD approx. 515x360x390 mm

Art. no.	EAN
622 341	4 004 470 223 415

PU 1
PAL 8

Microwave with Grill/Convection
MWG 2281 H CB

- **Free-standing appliance**
- **23 litre capacity**
- **800 watt microwave**
- **1200 watt grill**
- **1200 watt convection**
- 3 levels in combined operation (grill/microwave)
- 4 microwave power levels
- 1 grill level
- 10 temperature settings for convection
- 9 automatic programmes
- Defrost program with 2 automatic programs
- 95-minute timer with end signal
- Digital clock
- Child lock
- Rotating plate, ø approx. 27,0 cm
- Grilling grid, ø approx. 22,0 cm
- Stainless steel housing
- Reflecting glass front
- Oven light

- 230 V, 50 Hz, 1300 W
- WxHxD approx. 485x295x405 mm

Art. no.	**EAN**
622 811	**4 004 470 228 113**

PU 1
PAL 16

Double grill Microwave/Convection
MWG 2218 H CB

- **Free-standing appliance**
- **25 litre capacity**
- **1700 watt double grill** e.g, crispy pizza, baguettes, soufflés, etc. (1200 watt top heat, 500 watt lower heat)
- **900 watt microwave**
- **2300 watt convection**
- **Incl. pizza program** and pizza stone approx. Ø 25,5 cm
- Incl. enamelled rotating plate approx. Ø 31,5 cm, dishwasher-safe and scratchproof
- 5 microwave power levels
- 10 temperature settings convection
- 10 automatic programs
- Defrost program with 2 automatic programs
- Quick-start program
- 95-minute timer with end signal
- Digital clock
- Child lock
- Grilling grid, ø approx. 28,0 cm
- Stainless steel housing
- Stainless steel interior
- Oven light

- 230 V, 50 Hz, 1450 W
- WxHxD approx. 510x300x430 mm

Art. no.	**EAN**
622 181	**4 004 470 221 817**

PU 1
PAL 16

Microwave with Grill
MWG 2211 U CB

- **Free-standing/built-under appliance (incl. installation material)**
- **20 litre capacity**
- **800 watt microwave**
- **1000 watt grill**
- 2 levels in combined operation (grill/microwave)
- 5 microwave power levels
- 1 grill level
- Defrost programs, selectable according to time and weight
- 8 automatic programs
- Quick-start program
- 95-minute timer with end signal
- Start delay (23h, 59 min.)
- Digital clock
- Easy Tronic
- Child lock
- Rotating plate, ø approx. 24,5 cm
- Grilling grid, ø approx. 21,0 cm
- Stainless steel front
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1250 W
- WxHxD approx. 460x280x385 mm

Art. no.	**EAN**
622 111	**4 004 470 221 114**

PU 1
PAL 20

2in1

Preserving Boiler
EKA 2209 CB

- **25 litre tank volume for 14 one-litre glasses**
- Integrated tap for practical filling of, for example, mulled wine, punch or other hot drinks
- Enamelled housing, scratch-resistant
- Enclosed pot bottom, built-in heating element
- Variable temperatur control (30–100 °C)
- Overheating protection
- Indicator light
- Hard-wearing enamel, tasteless
- Grid insert
- Plastic handles, heat-insulated

- 230 V, 50 Hz, 1800 W
- WxHxD approx. 465x495x435 mm

Art. no.	EAN
622 090	4 004 470 220 902

PU 1
PAL 16

CE

2in1

Buffet Warmer/Hotplate
BW 2225 CB

- **2-in-1 stainless steel buffet warmer and hotplate with 3 stainless steel warming inserts and 3 covers (contents: 2 l each)**
- Versatile use (brunch, buffet, plate warmer etc.)
- Heating surface made of out brushed stainless steel, approx. 53 x 35 cm
- Desired temperature continuously adjustable
- Insulated handles
- Overheating protection
- On/off switch
- Indicator light for heating
- Rubberised feet for non-slip stability

- 230 V, 50 Hz, 400 W
- WxHxD approx. 645x185x380 mm (with attachment)
- WxHxD approx. 645x65x380 mm (without attachment)

Art. no.	EAN
622 251	4 004 470 222 517

PU 2
PAL 32

CE



Mini-Washing Machine
MWA 9481 CB

- **Obviates the need for tedious hand washing at home and when travelling**
- Ideal for both small washes and for sensitive laundry items
- Ideally suited for camping, holidays and single households
- Washes quickly and effectively with a consistent result
- Low water, electricity and detergent consumption
- 15-minute timer
- Includes drainage hose and water inlet
- Capacity: 1,5 kg
- Consumption: 13 litre max.

- 230 V, 50 Hz, 135 W
- WxHxD approx. 330x460x360 mm

Art. no. 694 810 **EAN** 4 004 470 948 103

PU 1
PAL 24 CE

Textil Cleaner
MC 701 CB

- Ideal for the easy removal of lint/pilling
- Handy size
- Metal lint grid
- Transparent lint container
- On/off switch

- 2 x AM3 AA, 1,5 V (not supplied)
- WxHxD approx. 36x76x76 mm

Art. no. 607 010 **EAN** 4004470070101

PU 20
PAL 2520 CE

Textil Cleaner
MC 702 CB

- Ideal for the easy removal of lint/pilling
- Handy size
- Metal lint grid
- Transparent lint container
- On/off switch

- 2 x AM3 AA, 1,5 V (not supplied)
- WxHxD approx. 60x85x170 mm

Art. no. 607 020 **EAN** 4 004 470 070 200

PU 20
PAL 1080 CE

Steam Iron
DB 757 CB

- **Special steel sole plate**
- **Variable temperature control**
- **3-level steam control**
- Steam jet function, vertical steam and spray device
- Dry function (steam can be switched off)
- Transparent water container
- Indicator light

- 230 V, 50 Hz, 1600 W
- WxHxD approx. 245x140x110 mm

Art. no. 607 570 **EAN** 4 004 470 075 700

PU 6
PAL 288

Steam Iron
DB 765 CB

- **Special steel sole plate**
- **Variable temperature control**
- **3-level steam control**
- Steam jet function, spray device and vertical steam
- Dry function (steam can be switched off)
- Practical self-cleaning function
- Transparent water container
- Cable attached via 360° turnable joint
- Indicator light

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 275x155x115 mm

Art. no. 607 650 **EAN** 4 004 470 635 287

PU 6
PAL 240

Steam Iron
DB 780 CB

- **Scratch-resistant ceramic sole plate with outstanding sliding behaviour**
- **Steam jet function, spray device and vertical steam**
- Practical self-cleaning function
- Dry function (steam can be switched off)
- Variable temperatur control
- Continuous steam regulation
- Transparent water container
- Cable attached via 360° turnable joint
- Indicator lamp

- 220-240 V, 50/60 Hz, 2200 W
- WxHxD approx. 110x150x275 mm

Art. no. 607 800 **EAN** 4 004 470 078 008

PU 6

CERAMIC

Steam Iron
DB 766 CB

- **Special steel sole plate**
- **Variable temperature control and steam control**
- Steam jet function, spray device and vertical steam
- Drying function (steam can be switched off)
- Anti-calc filter system
- Practical self-cleaning function
- Anti Drip function
- Transparent water container
- Open, rubberised handle
- Cable attached via turnable joint
- Indicator light

- 230 V, 50 Hz, 2500 W
- WxHxD approx. 280x140x110 mm

Art. no.	EAN
607 660	4 004 470 635 294

PU 6
PAL 180

Steam Iron
DB 774 CB

- **Scratch-resistant ceramic sole plate with outstanding sliding behaviour**
- **Variable temperature control**
- **Continuous steam quantity adjustment**
- Steam jet function, spray device and vertical steam
- Dry function (steam can be switched off)
- Anti-calc filter system
- Self-cleaning function, switchable
- Anti Drip function
- Transparent water container
- Rubberised handle for non-slip handling
- Rubberised rest for excellent stability
- Cable attached via 360° turnable joint
- Indicator light

- 220-240 V, 50 Hz, 2500 W
- WxHxD approx. 290x150x130 mm

Art. no.	EAN
607 740	4 004 470 060 774

PU 6
PAL 180

2in1
Also cordless useable

CERAMIC

Steam Iron
DBC 776 CB

- **Steam iron, cordless**
- **Scratch-resistant ceramic sole plate with outstanding sliding behaviour**
- 10 different functions: Used without a cord, Dry ironing (steam can be switched off), Steam ironing, Steam jet, Vertical steam, 3-level steam setting, Spray fun ction, Anti-calc filter system, Anti-drip function, Practical self-cleaning function
- Variable temperature control
- Transparent water container (aprox. 220 ml)
- Includes table attachment for stability and one-handed operation
- Rubberised handle for non-slip holding
- Indicator light

- 220-240 V, 50 Hz, 2000 W
- WxHxD approx. 290x245x130 mm

Easy-running,
scratch-resistant ceramik plate

	Art. no.	EAN
□	607 760	4 004 470 077 605

PU 4
PAL 80

Steam Ironing Unit
DBS 775 R CB

- **Stainless steel special base plate for consistently high resistance to heat and optimum steam generation**
- **Steam jet function (horizontally and vertically)**
- Constant high steam: 90g/min
- Removable water tank (1.7 litre capacity), in case of average operation sufficient for approx. 60 minutes
- Permanent refill function – refilling the water tank during operation is possible
- Even and consistent heat distribution through 68 spray nozzles
- Heavy iron – less pressure for optimal gliding performance
- Continuously adjustable temperature control
- Anti chalk cartridge
- Steam jet function: 90 g/min max.
- Consistent steam discharge
- Extra large rest plate to provide the iron with a stable rest
- Arrestable holding device
- Long connection cable
- Cable rewind at the bottom part

- 220–240 V, 50/60 Hz, 2400 W max.
- WxHxD approx. 195x270x380 mm

	Art. no.	EAN
■	607 780	4 004 470 077 803
□	607 786	4 004 470 077 865

PU 2
PAL 48



Battery Vacuum Cleaner CB 967

- **With 3 rechargeable batteries**
- **Nozzle for small gaps and Brush nozzle**
- Charge control lamp (LED)
- Charger mains adapter
- Bottom/Wall mounting (installation materials not supplied)
- Permanent dust filter, washable

- 230 V, 50 Hz, 3x1,2 V, 1,4 Ah
- WxHxD approx. 310x130x100 mm

Art. no.	EAN
609 670	4 004 470 096 705

PU 6
PAL 216
CE

Battery Vacuum Cleaner AKS 960 CB

- **Wet/dry vacuum cleaner**
- Powerful battery vacuum cleaner with three rechargeable batteries
- Includes attachment for wet vacuuming
- Crevice nozzle with brush attachment
- Charge control lamp (LED)
- Charger mains adapter
- Permanent dust filter, washable
- wall holder

- 230 V, 50 Hz, 3x1,2 V, 1,4 Ah
- WxHxD approx. 380x130x110 mm

Art. no.	EAN
609 600	4 004 470 096 002

PU 6
PAL 180
CE

All Floor Cordless Upright Vacuum Cleaner AKS 920 B CB

- **2 in 1 – Upright vacuum cleaner and handheld vacuum cleaner**
- **Powerful battery: 9,6 V; 1,3 Ah**
- Charge status indicator (LED), illuminated
- Cordless operation for flexible use
- Bagless filtertechnology
- Dust bin volume: ca. 0.6 Litre
- Permanent dust filter, washable
- Dust bin is simple to empty, easy to clean
- Electrical, rotating turbo brushes for individual use
- incl. Crevice nozzle, brush nozzle, charger adaptor
- Height-adjustable metal telescopic tube (click-lock)
- Rubberised rollers, ideal for parquet floors
- Vertical storage position
- Space saving storage

- 230 V, 50 HZ, 9,6 V, 1,3 Ah
- WxHxD approx. 175x980x125 mm

Art. no.	EAN
609 200	4 004 470 092 004

PU 3
PAL 45
CE



Hand Vacuum Cleaner
CB 947

- **700 watt max.**
- Hand vacuum cleaner for the vacuuming of: furniture, upholstery, frames, curtains, books, computers, cars, and plenty more. Compact size: 24x12x15 cm
- Accessories: flexible „vacuum snout“ with crevice nozzle, small and large brush, shoulder straps
- Permanent vacuum filter, easy to clean
- 6 m cord
- Vertical storage (space-saving)

- 230 V, 50 Hz, 700 W max.
- WxHxD approx. 360x185x110 mm

	Art. no.	EAN
⬜	609 470	4 004 470 094 701

PU 6
PAL 144
CE

Floor Vacuum Cleaner
BS 989 CB

- **Floor vacuum cleaner with powerful max. 1400 watt motor**
- **4-layer micro-filter system**
- Mechanical Suction Power Regulation
- Bag full display
- Smooth-running adjustable roll brush
- Built-in handle
- Automatic cable rewind
- Large Easy-running rollers
- Accessory: 2-in-1 - brush/crevice nozzle

- 230 V, 50 Hz, 1400 W max.
- WxHxD approx. 230x230x320 mm

- Replacement bags: SSB98
  Art. no. 282 193
  EAN 4 006 160 082 932

	Art. no.	EAN
⬛	609 896	4 004 470 098 969

PU 1
CE

Floor Vacuum Cleaner
BS 968 CB

- **1500 watt max.**
- **4-layer micro-filter system**
- **Electronic suction power control**
- Bag full display
- Height-adjustable telescopic tube
- Built-in handle
- Automatic cable rewind
- Easy-running rubberised rollers, ideal for parquet floors
- Accessory: 2 in1 brush-/crevice-nozzle

- 230 V, 50 Hz, 1500 W max.
- WxHxD approx. 315x205x220 mm

- Replacement bags: SSB98
  Art. no. 282 193
  EAN 4 006 160 082 932

	Art. no.	EAN
🟥	609 686	4 004 470 096 866

PU 1
PAL 56
CE



Floor Vacuum Cleaner
BS 911 CB

- **2000 watt max.**
- **4-layer micro-filter system**
- **Electronic power adjustment**
- Stainless steel suction tube (click-lock)
- Switchable metal floor brush
- Bag full display
- Rubberised rollers, ideal for sensitive floors
- Automatic cable rewind
- Practical carrying handle
- Space-saving parking aid
- Integrated 3-fold accessories
- Combined brush/crevice nozzle and upholstery nozzle

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 250x250x410 mm

- Replacement bags: SSB 101
  Art. no. 282 047
  EAN 4 006 160 820 478

Art. no.	EAN
609 111	4 004 470 091 113

PU 1
PAL 36

Floor Vacuum Cleaner
BS 985 CB

- **2000 watt max.**
- **5-layer micro-filter system**
- **Electronic power adjustment**
- Height-adjustable stainless steel telescopic tube (click-lock)
- Adjustable floor brush with metal insert
- 8-meter range
- Bag full display
- Practical carrying handle
- Automatic cable rewind
- Large, easy-running, rubberised castors, ideal for parquet floors
- Space-saving parking aid
- 2 in 1 brush-/crevice-nozzle

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 210x275x405 mm

- Replacement bags: SSB101
  Art. no. 282 047
  EAN 4 006 160 820 478

Art. no.	EAN
609 857	4 004 470 098 570

PU 1
PAL 36

Floor Vacuum Cleaner
BS 961 CB

- **4-layer micro-filter system incl. HEPA-filter, for optimal dust filtering**
- **Continuous electronic suction power adjustment**
- Height-adjustable stainless steel suction tube (click-lock)
- Smooth-running adjustable floor brush (hard floor/parquet) with metal insert
- LED control lamp
- Automatic cable rewind
- Space-saving parking aid
- Bag full display
- Built-in handle
- Rubberised rollers, ideal for sensitive floors
- 5 types of accessory: combined brush-/crevice-nozzle, upholstery nozzle, parquet brush, adjustable floor brush, accessory holder

- 230 V, 50 Hz, 2300 W max.
- WxHxD approx. 285x220x415 mm

- Replacement bags: SSB101
  Art. no. 282 047
  EAN 4 006 160 820 478

Art. no.	EAN
609 612	4 004 470 096 125

PU 1
PAL 36



Floor Vacuum Cleaner, bagless
BS 975 CB

- **1600 watt max.**
- **Bagless filtertechnology**
- **Mechanical suction power regulation**
- Easy-to-empty, transparent dust-collecting container replaces conventional dust bag
- No need to purchase dust bags
- Adjustable floor brush
- Motor protection filter can be washed out
- Space-saving parking aid
- Automatic cable rewind
- Large, smooth rolling wheels
- Container volume: 2,5 l

- 230 V, 50 Hz, 1600 W max.
- WxHxD approx. 215x235x370 mm

Art. no.	EAN
609 751	4 004 470 097 511

PU 1
PAL 36

CE

Floor Vacuum Cleaner
BS 971 CB

- **2000 watt max.**
- **Bagless filtertechnology**
- **Electronic power adjustment**
- Easy-to-empty, transparent dust-collecting container replaces conventional dust bag
- No need to purchase dust bags
- Height-adjustable telescopic tube
- Adjustable floor brush
- Motor protection filter can be washed out
- Rubberised rollers, ideal for parquet floors
- Space-saving parking aid
- Automatic cable rewind
- Integrated 3-fold accessories: 2 in 1 brush-/crevice-nozzle, upholstery nozzle
- Container volume: 1,25 l

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 377x285x257 mm

Art. no.	EAN
609 713	4 004 470 097 139
609 716	4 004 470 097 160
609 718	4 004 470 097 184

PU 1
PAL 30

CE



CYCLON-TWIN-SPIN

Floor Vacuum Cleaner, bagless
BS 912 CB

- **Cyclon-Twin-Spin floor vacuum cleaner with powerful 2200 watt motor max.**
- **Cyclon-Twin-Spin technique allows constant high suction power**
- Bagless filter technology – high suction power
- No need to purchase dust bags
- Easy-to-empty, transparent dust collecting container replaces conventional dust bag
- Container volume: approx. 3 liter
- Electronical power adjustment
- Includes HEPA filter
- 5-layer filter system
- Adjustable floor brush
- Height-adjustable stainless steel telescopic tube
- Rubberised rollers – ideal for sensitive floors
- Incl. steering roller
- Automatic cable rewind
- Practical carrying handle
- Space-saving parking aid
- Long power cord allows large operation range
- Accessory: combined brush/crevice nozzle and parquet brush

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 280x310x380 mm

	Art. no.	EAN
🟧	609 010	4 004 470 090 109

PU 1
PAL 20
CE



CYCLON-TWIN-SPIN

Floor Vacuum Cleaner, bagless
BS 912 CB

- **2200 watt max.**
- **Cyclon-Twin-Spin-technique allows continual high suction power**
- **Bagless filtertechnology**
- **Electronic power adjustment**
- 4-layer filter system
- Incl. HEPA-filter
- Easy-to-empty, transparent dust-collecting container replaces conventional dust bag
- No need to purchase dust bags
- Stainless steel telescopic tube
- Adjustable floor brush
- Rubberised rollers, ideal for sensitive floors
- Incl. steering roller
- Practical carrying handle
- Space-saving parking aid
- Automatic cable rewind
- Includes parquet brush
- Container volume: 4 litres

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 300x460x330 mm

	Art. no.	EAN
⬛	609 121	4 004 470 091 212

PU 1
PAL 20
CE

Bomann steam cleaner cleans thoroughly, effectively and flexibly in an environmentally friendly manner without any additional detergents. Various attachments permit use in all areas in a household. For example, large floor areas, glass panes or limescale deposits on fittings. The steam cleaner even removes obstinate dirt without streaks or limescale residues. Indispensable for the easy and fast cleaning of e.g. shower partitions, roller blinds or radiators. The steam cleaner are extremely versatile and ideal for disinfecting bathrooms and kitchens, as well as freshening up and removing odours from upholstery and items of clothing.

Steam Cleaner
DR 921 CB

- Steam cleaner, cleans, disinfects and degreases without limescale residues or streaks left behind from cleaning
- 4 bar steam pressure
- Approx. 1,5 l water tank
- Stainless steel boiler
- Control lamps (mains and standby)
- Safety tank lid with pressure relief valve
- Overheating protection
- On/off switch protected against water spray
- Practical open carrying handle
- Smooth-running wheels
- Steam control on the handle
- Additional locking button for continuous operation
- Includes 10 accessories:
  - 2-part extendable insertable tube
  - Floor brush with cloth holder
  - Non-woven cloth
  - Window wiper
  - 2 jet nozzle attachments
  - 2 round brush attachments of different sizes
  - Funnel
  - Measuring beaker
- Integrated accessory compartment

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 670x260x285 mm

Art. no.	EAN
609 211	4 004 470 092 110

PU 1
PAL 24

Steam Cleaner
DR 977 CB

- Steam cleaner, cleans, disinfects and degreases at 100 °C without lime residues and cleaning strip
- 3.5 bar steam pressure
- Approx. 220 ml water tank
- Overpressure protection
- Overheating protection
- Long lead, approx. 5-metre
- Includes 8 accessories:
  - brush attachment
  - nozzle attachment
  - angle attachment
  - fleece attachment
  - window-cleaning attachments
  - hose
  - measuring beaker

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 210x320x160 mm

Art. no.	EAN
609 771	4 004 470 097 719

PU 2
PAL 112



Nose and Ear Hair Trimmer
CB 801

- **Includes light for improved personal grooming**
- Conveniently and simply removes troublesome hairs in the nose and ears
- With cleaning brush and covering cap for the shearing head
- Removable fine-steel shearing head for cleaning
- Body of the device protected against water spray
- Battery-operated (batteries not supplied)

- 1 x 1,5 V UM3
- WxHxD approx. 140x30x33 mm

Art. no.	EAN
608 010	4 004 470 800 111

PU 24
PAL 2400

Hair and Beard Trimmer
HSM 8007 NE CB

- **Stainless steel precision shaving head for uniform haircut**
- **Stainless steel blade**
- Stepless cutting lenght adjustment for efficient use of the comb attachments
- 4 comb attachments: 3, 6, 9, 12 mm
- Soft-Touch inlay for non-slip handling
- Accessories: 4 comb attachments, Cleaning brush, Shearing head protection, Comb, Hanging loop

Nose and ear hair remover

- Gently and comfortably removes unsightly nose and ear hair
- Stainless steel shaving head, can be detached for cleaning
- Incl. cap for shaving head, detachable
- Battery-operated: 1x 1,5 V AA (not included)
- 230-240 V, 50 Hz, 10 W max.
- WxHxD approx. 65x55x200 mm

Art. no.	EAN
608 071	4 004 470 800 715

PU 10
PAL 300

Hair and Beard Trimmer
HSM 8006 CB

- **Stainless steel precision shaving head for uniform haircut**
- **Stainless steel blade**
- Adjustable cutting length: 0-2 mm
- 4 comb attachments: 3, 6, 9, 12 mm
- Easy to handle due to ergonomically shaped grip
- Soft-touch handle inlay – safety handling
- Accessories: 4 comb attachments, cleaning brush, cutting head guard
- Hanging loop

- 220–240 V, 50 Hz, 10 W max.
- WxHxD approx. 60x190x70 mm

Art. no.	EAN
680 061	4 004 470 800 616

PU 12
PAL 672

Hair Straightener
HC 888 CB

- **Ideal for fashionable hairstyles**
- **Anodised styling plates**
- Even heat distribution
- Handy design
- Rapid heating
- Including comb attachment
- On/off switch
- Indicator light

- 230 V, 50 Hz, 25 W
- WxHxD approx. 50x70x265 mm

Art. no.	EAN
608 881	4 004 470 735 062

PU 12
PAL 480

CERAMIC

Hair Straightener
HC 834 CB

- **Ideal for fashionable hairstyles**
- **Full ceramic plates for even and gentle heat distribution**
- Straightens the hair without problems due to the prolonged constant temperature
- Short heating period
- Handy design
- On/off switch
- Hanging loop

- 230 V, 50 Hz, 20 W
- WxHxD approx. 43x45x285 mm

Art. no.	EAN
608 340	4 004 470 083 408

PU 12
PAL 840

CERAMIC

Hair Straightener
HC 841 CB

- **Ideal for fashionable hairstyles**
- **Full ceramic plates for even and gentle heat distribution**
- Plates spring-mounted for even pressure
- Temperature range 90–180 °C, adjustable in 5 °C steps
- Electronic temperature setting
- Blue LCD display with temperature display for controlled, safe use
- Temperature control lamp
- Straightens the hair without problems due to the prolonged constant temperature
- Short heating period
- Mechanical locking mechanism
- Cable attached via 360° turnable joint
- Handy design
- On/off switch
- Hanging loop

- 230 V, 50 Hz, 35 W
- WxHxD approx. 40x45x330 mm

Art. no.	EAN
608 416	4 004 470 084 160

PU 12
PAL 720

1200
BOMANN

Travelling Hair Dryer
CB 818

- **Compact sports hair dryer**
- **Switchable voltage**
- **2 power levels**
- Removable shaping nozzle
- Ring for hanging up
- Practical transparent bag

- 120/230 V, 50/60 Hz, 1200 W max.
- WxHxD approx. 130x195x70 mm

	Art. no.	EAN
⬜🟧🟩	608 189	4 004 470 081 893

PU 12
PAL 588 CE

Travelling Hair Dryer
HT 8002 CB

- **Compact travelling hair dryer**
- **2 temperature/power settings**
- Removable shaped nozzle, rotatable through 360°
- Rubber profile on the casing avoid slipping
- Overheating protection
- Hanging loop

- 230 V, 50 Hz, 1200 W max.
- WxHxD approx. 111x210x75 mm

	Art. no.	EAN
⬜⬛	680 029	4 004 470 800 296

PU 12
PAL 504 CE

Travelling Hair Dryer
HT 8004 CB

- **Compact travelling hair dryer**
- **Soft touch housing – Rubberised surface to prevent slipping when putting down**
- 2 temperature/power settings
- Includes see-through bag for practical storage and when travelling

- 230 V, 50 Hz, 1200 W max.
- WxHxD approx. 150x210x75 mm

	Art. no.	EAN
🟥	680 046	4 004 470 800 463

PU 12
PAL 384 CE



Travelling Hair Dryer
HTD 8005 CB

- **Compact travelling hair dryer**
- **2 speed settings**
- **Switchable voltage**
- Removable shaped nozzle, rotatable through 360°
- Includes volume diffuser
- Folding handle
- Hanging loop
- bag for practical storage and when travelling

- 110/230 V, 50/60 Hz, 1300 W max.
- WxHxD approx. 170x235x75 mm

	Art. no.	EAN
🟥	680 056	4 004 470 800 562

PU 12
PAL 288 CE

Professional Hair Dryer
HTD 843 CB

- **3 temperature/power settings**
- **2 speed settings**
- **Cool Shot**
- Professional volume diffuser and shaping nozzle
- Rubberised surface to prevent slipping when putting down
- Overheating protection
- Hanging loop

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 210x235x90 mm

	Art. no.	EAN
⬛	608 431	4 004 470 084 313
🟫	608 432	4 004 470 084 320

PU 6
PAL 216 CE

Professional Hair Dryer
HTD 889 CB

- **3 temperature/power settings**
- **2 speed settings**
- **Cool Shot**
- Professional volume diffuser and shaping nozzle
- Air intake filter, removable
- Rubber profile on the casing avoid slipping
- Soft-touch grip
- Overheating protection
- Hanging loop

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 270x270x90 mm

	Art. no.	EAN
⬛	608 891	4 004 470 088 915

PU 6
PAL 216 CE



2200W IONIC

Professional Hair Dryer
HTD 807 CB

- **3 temperature settings**
- **2 speed settings**
- **Cool Shot**
- **Ionizing function –** better manipulability due to anti-static effect, the hair does not dry out, becomes sleek and shiny
- Professional volume diffuser and shaping nozzle
- Soft touch housing
- Hanging loop

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 220x270x95 mm

Stiftung Warentest
test
GUT (2,0)
Im Test:
16 Haartrockner
Ermittelt am Produkt
HTD 3243 von
Clatronic (baugleich)
Ausgabe
10/2009

	Art. no.	EAN
🟦	608 073	4 004 470 080 735
🟥	608 076	4 004 470 080 766

PU 6
PAL 180 CE

Foot Massager
FM 8000 CB

- **Intense whirlpool effect**
- **Massage burls for stimulating the foot reflex zones**
- Additional massage roller, detachable, for selective foot reflex zone massage
- Heated footrest
- 4-level switch:
  0 = Off
  1 = massage
  2 = warm/whirl
  3 = warm/whirl/massage
- Can be used with and without water
- Splash guard, detachable
- Water level mark
- Spout
- Large rubber feet for slip-proof stand

- 230 V, 50 Hz, 90 W
- WxHxD approx. 300x120x380 mm

Incl. additional massage roller

	Art. no.	EAN
🟦	680 000	4 004 470 800 005

PU 3
PAL 72 CE

Infrared Massager
CB 865

- **3 functions:**
  massage only
  infrared only
  massage and infrared
- 4 different massage accessories
- 2 point concentrators, surface massager, face massager
- Extremely quiet motor

- 230 V, 50 Hz, 13 W
- WxHxD approx. 240x70x75 mm

	Art. no.	EAN
🟩	608 650	4 004 470 086 508

PU 6
PAL 348 CE

STAINLESS STEEL

Bathroom Scales
PW 1419 CB

- **Electronic stainless steel scale with highly readable LCD display, blue backlight**
- **Weighing units in kg, lb, st (switchable)**
- Measurement range up to 150 kg
- Measurement range of 2,5-150 kg subdivided into 100 g steps
- Low-maintenance standing surface
- Non-slip feet ensuring secure base
- Automatic switch-off, prolongs battery life

- 3 x AAA Batteries (not supplied)
- WxHxD approx. 330x25x330 mm

Art. no.	EAN
614 191	4 004 470 141 917

PU 6
PAL 360

Table Fan
VL 1130 CB

- **approx. Ø 23 cm**
- **2 speeds**
- 3-level switch (0–1–2)
- Oscillating (can be switched off)
- Adjustable angle of inclination
- Metal protection grid
- Safe base

- 220-240 V, 50 Hz, 30 W
- WxHxD approx. 280x420x235 mm

Art. no.	EAN
611 300	4 004 470 113 006

PU 4
PAL 80

Table Fan
VL 1131 CB

- **approx. Ø 30 cm**
- **3 speeds**
- 4-level switch (0–1–2–3)
- Oscillating (can be switched off)
- Adjustable angle of inclination
- Metal protection grid
- Safe base

- 220-240 V, 50 Hz, 40 W
- WxHxD approx. 350x490x260 mm

Art. no.	EAN
611 310	4 004 470 113 105

PU 4
PAL 64

Standing Fan
VL 1133 S CB

- **approx. Ø 40 cm**
- **3 speeds**
- 4-level switch (0–1–2–3)
- Oscillating (can be switched off)
- Height-adjustable
- Adjustable angle of inclination
- Metal protection grid
- Safe base

- 220-240 V, 50 Hz, 45 W
- WxHxD approx. 650x1340x680 mm

Art. no.	EAN
611 330	4 004 470 113 303

PU 3
PAL 48
CE

Fan heater
HL 1095 CB

- **Infinitely adjustable thermostat**
- **2 heat settings (1000/2000 W max.)**
- Cold (ventilator)
- Indicator light
- Overheating protection
- Safe base
- 2 different ways of setting up
- Sturdy carrying handle

- 220-240 V, 50 Hz, 2000 W max.
- WxHxD approx. 248x120x250 mm

Art. no.	EAN
610 950	4 004 470 109 504

PU 4
PAL 144
CE

Fan heater
HL 1096 CB

- **Infinitely adjustable thermostat**
- **2 heat settings (1000/2000 W max.)**
- Cold (ventilator)
- Indicator light
- Overheating protection
- High stability
- Sturdy carrying handle

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 230x138x262 mm

Art. no.	EAN
610 960	4 004 470 109 603

PU 4
PAL 120
CE

Oil Radiator
RA 1121 CB

- **9-fin oil radiator**
- 2000 Watt
- 3 power levels (800/1200/2000 Watt)
- Additional heat adjustment via thermostat control
- Indicator light
- Convenient cable take-up
- Mobile application with 4 easy-run castors
- security contact switches for fire prevention

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 455x640x245 mm

Art. no.	EAN
611 211	4 004 470 112 115

PU 1
PAL 27

Oil Radiator
RA 1122 CB

- **11-fin oil radiator**
- 2200 Watt
- 3 power levels (1000/1200/2200 Watt)
- Additional heat adjustment via thermostat control
- Indicator light
- Convenient cable take-up
- Mobile application with 4 easy-run castors
- security contact switches for fire prevention

- 230 V, 50 Hz, 2200 W
- WxHxD approx. 525x640x245 mm

Art. no.	EAN
611 221	4 004 470 112 214

PU 1
PAL 27

BOMANN®

C. Bomann GmbH
Heinrich-Horten-Straße 17
47906 Kempen
Germany

Phone: +49 2152 8998-0
Fax: +49 215 2 8998-911

mail@bomann.de
www.bomann.de

WEEE: DE 83069425
BattG: 21000361